

AIRCRAFT



N 44805

WHEELS AIRCRAFT CORPORATION

AIRCRAFT LOG

PIPER AIRCRAFT CORPORATION

General Offices at
Lock Haven, Pennsylvania
U. S. A.

N44805

Aircraft
Registration Number

Part No. 230715

AIRCRAFT DESCRIPTION

Registration No. N44805

Model: PA-28-140 Popular Name: Cherokee Cruiser

Serial No.: 28-7525008 Type Certificate No.: 2A13

Colors: SEE WEIGHT AND BALANCE

Engine Manufacturer: Lycoming Propeller Manufacturer: Sensenich

Original Engine Model: O-320-E3D Original Propeller Model: 74DML6-D-58

Serial Numbers: Single L-39341-27A Hub or Serial Number: Single K-38370

Left _____

Left _____

Right _____

Right _____

Blade Numbers

Left

Right

(See Log for Details)

1975

[illegible]

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance	
	This Date	Total			
	Brought Forward →	100	THE ALTIMETER AND STATIC SYSTEM TESTS REQUIRED BY FAR PART 91.170 HAVE BEEN PERFORMED. THE ALTIMETER(S) HAVE BEEN TESTED TO <u>20,000</u> FT. ON (L) <u>6-27-74</u>, (R) <u>N/A</u> SIGNED <u>James P. Lanfan</u> DATE <u>SEP 16</u> 1974 I HAVE INSPECTED THIS AIRCRAFT AND ISSUED A STANDARD AIRWORTHINESS CERTIFICATE DATED <u>SEP 16 1974</u>, I/A/W FAR 21.183(a) PER 21.273. <u>James P. Lanfan</u> FAA DOA SO-1		
SEP 16 1974	131				
Total To Carry Forward		1131			

Registration No.

N44805

and Remarks

Signature

Certificate No.

Jan-3-1975 Annual Inspection - TR-100 has
check air frame through out.
Lubricate controls.
Repair Seat control. check battery.

I certify that this aircraft has been
inspected in accordance with a
~~Annual~~ inspection and found
to be airworthy.

C. F. Raymond
A/P-758376, A.I.

C. F. Raymond

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →		200	
	April - 1 - 1975			Annual Inspection
				Lubricate Controls
				Replace brake
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
Check Air Frame throughout		
Replace LH Main gear Tire		
Lining R & L wheel.		

I certify that this aircraft has been
inspected in accordance with a
Annual inspection and is found
to be airworthy.

C. E. Raymond
A/P - 758376 A1.

C. E. Raymond

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →	300	300	June 12-1975 Annual Examine A/c craft check battery + Hy Lubricate Controls.
To Forward				

Registration No. _____

[illegible]

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →		400	
	Sept-27-1975 Annual Inspection			
	check Airframe throughout; Lubricate Controls			
	check wheel & brake Assy.			
	Check + Add Hydraulic Fluid			
	check + charge battery			
				I certify that this aircraft has been inspected in accordance with a
				<i>[Signature]</i> inspection and found to be airworthy.
				G. F. Raymond
				D/T-788376 A.I.
				<i>C. F. Raymond</i>
Total To Carry Forward				

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →	Annual Inspection Mar-2-1976	TR-600	
		Check Airframe throughout		
		check & lubricate Controls . check battery		
		& Hyd. Fluid. Clean grease wheel fig.		
				I certify that this aircraft has been inspected in accordance with a <u>Annual</u> inspection and found to be airworthy. C.F. Raymond A/P - 758376 A.I. <i>(Signature)</i>
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
TR-700 Annual Inspection Aug. 1 - 1976 Lubricate Controls Replace brake lining. Add Hyd. Fluid - check battery. Check fuel drains.	I certify that this aircraft has been inspected in accordance with a visual inspection and found to be airworthy. C. F. Raymond A/P-758376 A.I. <i>C. F. Raymond</i>	

© 2004 Blackwell Publishing Ltd

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			Sept-20 1976 Annual Inspect Aircraft Replace L H Main Gear Tighten Scissors on Check Hyd. Fluid. Check
Total To Carry Forward				Oct-29-1976 ELT-Carrott due Dec 77

Registration No. _____

and Remarks	Signature	Certificate No.
TK-800		
Inspection		
through out		
tire		
Main gear		
battery.		
I certify that this aircraft has been inspected in accordance with a <i>visual</i> inspection and found to be airworthy.		
C. F. Raymond A/P-758376 A.I.		
<i>C F Raymond</i>		
Remove & Replace Altimeter to comply with		
AD-74-24-13 overhauled by Superior Inst.	<i>C F Raymond</i> A/P-758376 A.I.	

[illegible]

and Remarks	Signature	Certificate No.
<i>Inspection</i> <i>air gear Tire. check wheel & brake</i> <i>ribs. check fuel drains.</i> <i>ing brake any.</i>	<i>TR-900</i>	
I certify that this aircraft has been inspected in accordance with a Annual inspection and found to be airworthy. C. F. Raymond A/P-768876 A.I. <i>C. F. Raymond</i>		

I certify that this aircraft has been inspected in accordance with a visual inspection and found to be airworthy.

C. F. Raymond
A/P-705376 A.I.

A. F. Raymond.

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →	April-12-1977	- Annual Inspection	T.R.-1000 hrs	
	check for frame throughout, grease wheel & rollers check for AD.			
	Replace separate starter switch			
				I certify that this aircraft has been inspected in accordance with a maintenance inspection and found to be airworthy. C. F. Raymond AF#75876 AL CF Raymond
	EIT Bart due Jan 77			
Total To Carry Forward				

Registration No.

1914- SA-28-7525008

and Remarks	Signature	Certificate No.
14-01-01 Fuel Gauge		
16-05-06 Oil Line Rupture		
15-08-03 Fuel Drain Valve		
15-02-03 Nose Fork		
14-13-04 Throttle Control Cable		
14-09-04 Rear Seat Belt Installation		
14-06-02 Piston Muffler		
12-24-02 1/2" 1176 Mixcock plumb		
12-14-07 Bolts in stabilator hinge fitting		
12-08-06 Main Landing gear torque link		
11-21-08 Brakes of Fuel Selector Assembly		
12-08-06 Torque Link 1/2" by inspection in shock. No other of this type		

AIRCRAFT LOG

[illegible]

Registration No. N 44805

and Remarks	Signature	Certificate No.
TR-1188 Oct-3-1977 Periodic Inspection. check air frame through out Replace nose gear tire. check Hydraulic fluid Eccentric tire. ADG: Compliance Same as Previous Page.	I certify that this aircraft has been inspected in accordance with a check inspection and found to be airworthy. C. F. Raymond A/P-758376 AL C F Raymond	
alt Battery due Dec 77		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →	April-1-1978		TR-1310	
	Annual Inspection			
	Check Airframe throughout.			
	Lubricate Controls.			
	Check brake lining Lubricate Slide Tube			
	Inflate tires/check wheel bearings.			
	I certify that this aircraft has been inspected in accordance with a proper inspection and found to be airworthy. C. F. Raymond A/P-748376 A.N. <i>C.F. Raymond</i>			
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
TR-1400		
MAY 24-1978 Annual Inspection		
check & Lubricate Controls		
Inflate Shock struts. Lubricate		
check wheel & brake Assy - Lubricate Slide Tube.		
	I certify that this aircraft has been inspected in accordance with a proper inspection and found to be airworthy. C. F. Raymond A/P-748376 A.N. <i>C.F. Raymond</i>	
(over 500 hrs)		
AD-72-8-6 Targa Lint. Rebuilt - c/w Ph-2 S.C.(2).		

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
June 19, 1978	Brought Forward →	100 hr inspection	T.R. 1500 hr	Check Airframe throughout. check chg. battery oil type fluid & Brake System
				I certify that this aircraft has been inspected in accordance with a visual inspection and found to be airworthy.
				C. F. Raymond A/P-75836A3 <i>C. F. Raymond</i>
Total To Carry Forward				

Registration No.

and Remarks	Signature	Certificate No.
TR 1640 Aug - 9-1978 Annual Inspection. Check Airframe throughout	I certify that this aircraft has been inspected in accordance with a check inspection and found to be airworthy. C. F. Raymond A/P-736378 A.I. C. F. Raymond	
Garrett RLT. By Piper RLT Battery Due Dec 1978 RLT Battery Replaced Dec. July 1980 AD-72-8-6 Torque Link due AMMEX. % Pac-RHS (Ca) AD-77-23-2 Rod Ends. CW		

AIRCRAFT LOG

[illegible]

Registration No.

and Remarks	TR-1700	Signature	Certificate No.
Oct-3-1978 Annual Inspection.			
Check Air frame through out.			
check + charge battery. Add Hyd. Fluid.			
check wheel & brake Assy.			
Repair Seat bottom - R/L Front Seat.			
Replace door Seal.			
I certify that this aircraft has been inspected in accordance with a <u>Pre-flight</u> inspection and found to be airworthy. C. F. Raymond A/P-75837A, A1 C. F. Raymond			
AD-72-8-6 Torque high oil at 1900 hrs 1/2 Br. oil (C) Garth EIT to River Dug July 1980			

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →			TR-1800	
	April - 2 - 1979 Annual Inspection			
	Check air frame throughout - check battery.			
	Clean & grease wheel/bog. Check Brake Assy.			
				I certify that this aircraft has been inspected in accordance with a
				<i>Capt R. J. Raymond</i> inspection and found to be airworthy.
				C. S. Raymond A/P-76076 AL
				<i>R. J. Raymond</i>
	AD-19-05-UZ ELT Battery - Removed Q.T.R.			
	AD-128-6 Torque Link Check 1900 kmw			
Total To Carry Forward				

Total To
Carry Forward

Registration No.

and Remarks	TR-1980	Signature	Certificate No.
May-25-1979 Annual Inspection. check Air frame throughout Check fastenings Clean & Tighten Seiser section Torque Torque Link and Hydraulic Div. to have systems.			
		I certify that this aircraft has been inspected in accordance with a known inspection standard to be airworthy. C. F. Raymond A/P-758278 AL C. F. Raymond	
AD-79-05 02 BIT Battery found OK			
AD-72-5-6 Torque Link checked 1900hr not checked.			

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →			TR-2000	
	Sept. 10-1979 Annual Inspection			
	check Air Frame throughout:			
	Lubrication Controls. check Fuel drains			
	check brake system, add hyd. fluid.			
	I certify that this aircraft has been inspected in accordance with a proper inspection and found to be airworthy.			
	C. F. Raymond A/P-758376 AL			
	C.F. Raymond			
	AD-79-05-02 ELT Battery Correct. Remove (C.F.R.)			
	AD-72-8-6 Torque Link check (torque at 2400) C.F.R.			
Total To Carry Forward				

Registration No.

and Remarks	Signature	Certificate No.
TR-2100 hr.		
Jan-10-1980 Annual Inspection		
check Air Frame throughout. Lubrication controls		
check Fuel Tank drains, shot brake system		
install 2 main gear Tires 6006-6ply		
	I certify that this aircraft has been inspected in accordance with a proper inspection and found to be airworthy.	
	C. F. Raymond A/P-758376 AL	
	C.F. Raymond	
AD-79-05-02 ELT Battery Correct. Remove (C.F.R.)		
AD-72-8-6 Torque Link check (torque at 2400) C.F.R.		
ELT - July - 1980 (Correct) (ELT Battery Removed) 1/1/80		

AIRCRAFT LOG

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →		TR 2200 hr	
	July 14-1980			Annual Inspection
	check Airframe			
	Lubricate controls			add battery water
	check brakes			replace RH landing
	check tires			
	AD notes as previously recorded			
				Verify that this aircraft has been inspected in accordance with a <u>100 HR.</u> inspection and found to be airworthy.
				C. F. Raymond A/P 758376 AL
				C. F. Raymond
Total To Carry Forward				

and Remarks	Signature	Certificate No.
T.T. 2291 hrs		
4/9/81 100 HR. ANNUAL INSP.		
CHECK AIRFRAME THROUGHOUT		
LUBRICATE CONTROLS, CHECK + CHARGE BATTERY		
CHECK BRAKES, ADD HYDRAULIC FLUID, CHECK TIRES		
NO HGW A.D.'S AT THIS TIME		
		I certify that this aircraft has been inspected in accordance with a <u>100 HR.</u> inspection and found to be airworthy.
		Richard A. Merrill A/P 369640247
		Richard A. Merrill

AIRCRAFT LOG

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →	MAY 27, 1981	T.T. 2316.2 HRS.		
	ROTATED RT. MAIN GEAR TIRE, SERVICED NOSE GEAR STRUT WITH HYDRAULIC FLUID AND AIR, REPLACED SHEARED RIVET ON DOOR HOLDER ASSEMBLY RICHARD A. MERRILL			
		APP 369640247		
		Richard A. Merrill		
	MAY - 10 - 81 INSTALLED USED NARCO ATSCA1 TRANSPONDER IN INSTRUMENTA PANEL.			
	NEW EW=1368.1 ARM=86.41 MOMENT=118261			
	NEW V.L.=781.9			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
T.A.		
AUG. 1, 1981 100 HR. ANNUAL INSP.	2395 Hrs	
INSPECTED AIRFRAME AND STRUCTURE THROUGHOUT, REPACKED NOSE AND MAIN WHEEL BEARINGS, REPLACED RT. MAIN TIRE, CHARGED AND CHARGED BATTERY, LUBRICATED ALL FLIGHT CONTROLS, INSPECTED BRAKE AND WHEEL ACTY, LUBRICATED BOTH MAIN GEAR TORQUE LINKS.		
NO NEW AD'S. ATTAIN TIME		
I certify that this aircraft has been inspected in accordance with a Annual inspection and found to be airworthy.		I certify that this aircraft has been inspected in accordance with a Annual inspection and found to be airworthy.
C. E. Raymond A/P-758276 A.I.		Richard A. Merrill APP 369640247
C. E. Raymond		Richard A. Merrill

AIRCRAFT LOG

[illegible]

Registration No.

<i>[Signature]</i>	Signature	Certificate No.
<i>This is a Book - see End Lib Book Entire:</i>		
<i>Filing Card to Unit Procedure -</i>		
I certify that this <i>Book</i> has been inspected by accordance with an <i>Inspection</i> and has been found to be worthy of this Task Hrs. <i>2794.0</i> Date <i>10/6/83</i>		
<i>[Signature]</i>		HAS LU APR 12/1984
<i>FEB 1983 A/C successfully Test Run at 14512ms</i>		
<i>check OK ALL PRESSURE NORMAL AIR FLOW 11 COMPARABLE</i>		
<i>AIRWORTHY AND IS TO BE RECOVERED SERVICE - [Signature]</i>		
<i>Ret Flight Y-SP9127</i>		

AIRCRAFT LOG

[illegible]

REGISTRATION NO.

and Remarks	Signature	Certificate No.
AIRFRAME - Jacked aircraft, removed wheels, greased bearings and gear, checked brakes. Checked electrical system and battery. Checked all controls and ailed as needed. Removed all inspection plates and checked structure. Checked cockpit bolts, lights and instrument operation. RESEALED NOSE STRUT, REINSTALLED NOSE WHEEL PANT, REPLACED ALL BRAKE LININGS, CHARGED UP BATTERY C/W SLICK AD 80-06-05		
Date <u>3/23/54</u> Total Aircraft Time <u>2752</u> Verify this AIRCRAFT has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in <u>airworthy</u> condition. Signature <u>Burt B. Smith</u> C. R. S. 3046 FVR G. B. DuPONT CO., INC. F.A.A. Approved Repair Station No. 3046 DuPONT AIRPORT, LAPEER, MICHIGAN		

$\alpha = \beta_0 + \beta_1 x_1 + \dots + \beta_k x_k$

Let's Go Forward

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
8/17/85	Brought Forward →			
INSTALLED THE FOLLOWING EQUIPMENT. ALL EQUIP. WAS INSTALLED IN MANUFACTURER'S TRAYS IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS AND FOR PART 43.				
KING	KX-170A NAV/COM			NEW EMPTY WEIGHT 1380.5
	KF-214 - WDC/LATE			NEW CG - 86.22
	KR-21 MKR REUR			NEW USEFUL LOAD 768.5
AS.	AV-567 ANTENNA			
AS	AV-571 TRIPICOR			
TYLER AVIONIC SYSTEMS Repair Station # COB-9 730 Lincoln Lake Rd. Lowell, MI 49331 4-30-120E				
Total To Carry Forward				

and Remarks

Signature

Certificate No.

4-27-86 TACH: 2528.2 I CERTIFY THAT THIS AIRCRAFT HAS BEEN
 INSPECTED AND FOUND TO BE IN AIRWORTHY CONDITION.

DR. J. A. AP. 2000000000

4/29/86 TACH 2528.2

JACKED AIRCRAFT, REMOVED WHEELS, GREASED
 BEARINGS, CHECKED GRANDS, GREASED ZERK FITTINGS,
 CHECKED BATTERY, ELECTRICAL SYSTEM, LIGHTS,
 INSTRUMENTS, CHECKED CONTROLS. REMOVED AND
 REPLACED ALL INSPECTION PLATES. REPLACED NOSE
 WHEEL AXLE.

4-17-86 2528.2

AIRCRAFT LOG

REGISTRATION NO. _____

Date	Aircraft Time		Recorder Reading	Maintenance	and Remarks	Signature	Certificate No.
	This Date	Total					
	Brought Forward →						
6-27-86			2530.	REMOVED RIGHT FUEL CELL REINSTALLED FUEL CELL	REPLACED SEAL ON FUEL QUANTITY TRANSMITTER. REPLACED QUICK DRAIN ON LEFT FUEL CELL.	Aug 1986 A. J. [Signature]	
7-24-86			2534.8	REPLACED LEFT MAIN GEAR	TIRE AND TUBE (GEARWHEEL FLEW OFF CURVED II) 600x6 ALUM		
Total To Carry Forward							

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
8/14/86	Brought Forward →			
Weight & Balance Change				
Installed Apollo I Loren				
this date. See ship				
papers for computation				
New Empty wt 1385.0				
New C of G 86.21				
New Useful Load 765.05				
New Moment 119,405.35				
Mayday Avionics				
COB-21 N- xxxx				
3319756				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
MAYDAY AVIONICS INC.		
DATE: 4-24-87 REPAIR STAT: COB-21		
CERTIFIED ALTIMETER AND STATIC SYSTEM TO 20,000 FEET THIS DATE IN ACCORDANCE WITH FAR. 91.171.		
	<i>[Signature]</i>	
	3319756	
MAYDAY AVIONICS INC.		
DATE: 4-24-87 REPAIR STAT: COB-21		
CERTIFIED TRANSPONDER THIS DATE IN ACCORDANCE WITH FAR. 91.172.		
	<i>[Signature]</i>	
	3319756	

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward	4 hr 75.6		
May 1/1987	I certify that this aircraft has been inspected in accordance with AM General Insp. Was found to be in Airworthy Condition at this time. Installed New seats in Parking Brake. Installed Electronic DIGITAL EGT. Set 337 Ohm Pot. Installed Pipes and Power Plug. Ch Pipe air bubble. Insp of Tail support Brackets for Corrosion. Installed New EGT. Pot. Will G-1 Pot. May 87.			
Total To Carry Forward	Check Igniter with spade		Jack D Brewer	A.O. 17886277A

Registration No. _____

and Remarks	Signature	Certificate No.
5/18/87 INSTALLED THE FOLLOWING EQUIPMENT - UNITS WERE INSTALLED IN MANUFACTURERS TRAYS IN ACCORDANCE WITH MANUFACTURERS INSTRUCTIONS AND FOR PART 45.		
KWC KR-87 ADF 3.2" @ 63.2"		
KA-44B Loop ANT 2.8" @ 166.0"		
KI-227 inductor 0.7 @ 166.6"		
NEW Empty WEIGHT - 1395.1 lbs.		
NEW Useful Load 754.9 lbs		
NEW CG 86.41" AFT OF DATUM		
TYLER AVIONIC SYSTEMS		
Repair Station # CO8-9		
730 Lincoln Lake Rd,		
Lowell, MI 49331		

AIRCRAFT LOG

Registration No.

[illegible]

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
Brought Forward →				
MAYDAY AVIONICS, INC.				
DATE: 09/24/87	REPAIR STATION: C08-21			
INSTALLED: TERRA AT-3000				
SEE SHIP'S PAPERWORK FOR COMPUTATIONS.				
New a/c empty weight: 1398.9				
New a/c E.W.C.G. : 86.48				
New a/c useful load : 751.1				
New Moment: 120,985.12				
<i>William L. [Signature]</i> 2319756				
Total To Carry Forward				

Registration No. _____

and Remarks	Signature	Certificate No.
DATE: 9-24-87 MAYDAY AVIONICS INC. C08-21		
Certified altimeter, transponder, static system & encoder I.A.W. 91.171 & 91.172. System complies with paragraph (c), appendix E, of Part 43. Certified to 20,000 feet.		
	<i>William L. [Signature]</i> 2319756	
NOTE: BALANCE (GROSS WEIGHT AND GROSS MOMENT) - CAV-AR, FYE		
11-16-87 2692.0 Installer Max Sub Pilot sid.		
Pilot sid.	<i>Jack B. [Signature]</i> A1878K9711	

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
1-24-88	271100			I Certify that this aircraft has been inspected in accordance with an Annual Inspection, and was found to be in Airworthy Condition at this time. Installed New Prop spinner cover Plate ELT to May 87. Installed New Brakes Air Yell #14 BA-104 Rev 975 5A-693CE.
Total To Carry Forward				Jack D Bieva A.A. 1788497/H

Registration No. _____

Work Remarks	Signature	Certificate No.
5/09/88 Installed the following equipment: 1ea. King KN-64 DME 1ea. King KA-60 DME Antenna		
Installed all radios, miscellaneous parts and hardware in accordance with manufacturers specifications and /or FAA directives described in A.C.43.13-1A chapters 5,11,13 and A.C.43.13-2A chapters 2 and 3.		
Weight and balance computed and equipment list modified to reflect currently installed equipment.		
-----THE END -----		
THIS AIRCRAFT, AIR FRAME, AIRCRAFT ENGINE OR APPLIANCE IDENTIFIED ON THE WORK ORDER WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT REGULATIONS OF THE FEDERAL AVIATION AGENCY AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS REPAIR STATION UNDER WORK ORDER # 7766		
DATE: 5/9/88 SIGNED: [Signature] FOR FAA APPROVED REPAIR STATION #C08-16 GENERAL AVIATION, INC. CAPITAL CITY AIRPORT, LANSING MICHIGAN 48906		

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	<i>Revised</i>			
MAYDAY AVIONICS, INC.				
DATE: 06/03/88		REPAIR STATION: C08-21		
INSTALLED: 3M/Ryan WX-8 Stormscope Display, Antenna				
SEE SHIP'S PAPERWORK FOR COMPUTATIONS.				
New a/c empty weight: 1406.50				
New a/c E.W.C.G. : 86.62				
New a/c useful load : 743.50				
New Moment: 121.834.09				
<i>Ken Malone</i> <i>232 0482</i>				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
5-2-89 Fac. II 2803.0 I Certify that this Aeroplane has been Inspected In accordance with an annual Inspection and was found to be In Airworthy Condition at this Time. Installed New ECT Bolt With Replacement Nuts of April 91. Installed New Air Filter Element	Jacob D Brewer A.P. 17886971B	

AIRCRAFT LOG

Date: 9-28-89 MAYDAY AVIONICS INC. COB-21

Certified altimeter, transponder, static system & encoder I.A.W. 91.171 & 91.172. System complies with paragraph (c), appendix E, of part 43. Certified to 90,000 feet.

2319756

Maintenance

and Remarks

Signature

Certificate No.

6-9-90 / 2887 TT AF / 639 SMON ENG

100 HR INSP. (SEE INSPECTION CARD)

Replace stabilizer barrel, shaft, 2 bushings, plates, 2 outer stabilizer trim hinges, Replace brake pads, seal lift cables, bleed brakes removed cracked spinner & lock plate assembly. This aircraft has been inspected in accordance with a 100 HR inspection. Returned to service in satisfactory condition. AD's complied with thru 5/9/90 (see also list this page) Michael Skayton A&P 2430546

- END -

Total To
Carry Forward

AIRCRAFT LOG

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
6-18-90				Replace right stabilizer tip (plastic) 227 total S.H.L. #P 2430566 END
6-19-90			2887 TT	I CERTIFY THAT THIS AIRCRAFT/ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH THE ANNUAL INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.
Total To Carry Forward				<i>Paul Fortin chief</i> APP 1535587EN

and Remarks



INSTALL NEW ELBOW
7/2/91 [Signature] [Stamp] No. 100384

4-22-91

Replace Battery with Gill 35

6/9/91 2916 Total Time

Remove entry step & weld-repair, paint & reinstall, remove left wing tip & repair crack, repack all wheel bearings & replace one in nose; check all pulleys & cables & bellcranks, lubricate, install new nose tire. I certify that this aircraft has been inspected in accordance with an annual inspection & was found to be in airworthy condition.

Paul Ruelbe
A-P38454300 CAI

AIRCRAFT LOG

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
MAYDAY AVIONICS, INC. DATE: <u>6-10-91</u> REPAIR STA: IT5R947M Certified Altimeter, Transponder, Static System & Encoder I.A.W. 91.411 & 91.413. System complies with paragraph (c), appendix E, of Part 43. Certified to <u>20,000</u> feet. <u>N44805</u> <u>[Signature]</u> <u>6/15/92</u>				

and Remarks

Signature

Certificate No.

6/20/92 2950 TOTAL TIME
 REPACK ALL WHEEL BEARING, LUBRICATE
 AIRCRAFT, CHECK ALL PULLEYS CABLES & BEL CRANKS,
 I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED
 IN ACCORDANCE WITH AN ANNUAL INSPECTION &
 WAS FOUND TO BE IN AIRWORTHY CONDITION

[Signature]
 ADP84543806AD

1 To
 y forward

AIRCRAFT LOG

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance
	This Date	Total		
	Brought Forward →			
7/5/93		2995		TOTAL TIME
				REPACK WHEEL BEARINGS, REPAIR CRACK IN
				TAIL CONE, CHECK ALL PULLEYS CABLES & BELLWORKS
				SERVICE HOSE STRUT WITH AIR, SERVICE BATTERY
				LUBRICATE AIRCRAFT. I CERTIFY THAT THIS
				AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH
				AN ANNUAL INSPECTION & WAS FOUND TO BE IN
				AIRWORTHY CONDITION. (SEE A.D. COMPLIANCE SHEET)
Total To Carry Forward				<i>[Signature]</i> A-38154380AT

and Remarks

MAYDAY AVIONICS, INC.

DATE: 10-15-93 REPAIR STA: FT5R947M

Certified Altimeter, Transponder, Static System & Encoder I.A.W. 91.411 & 91.413. System complies with paragraph (c), appendix E, of Part 43. Certified to 20,000 feet.

[Signature] 2322108

Certificate No.

AIRCRAFT LOG

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance	and Remarks	Signature	Certificate No.
	This Date	Total					
	Brought Forward →						
7/2/94	3040	TOTAL TIME			7/2/95 3084.85 TOTAL TIME		
		REPACK WHEEL BEARINGS, CHECK ALL PULLEYS			SERVICE NOSE STRUT WITH AIR-OIL, TIGHTEN LOOSE		
		CABLES & BELL CRANKS, INSTALL NEW ELT BATTERY,			STEERING ARM, C.W. S.B. 977 INSPECTION OF REAR		
		INSTALL NEW COPPER CABLE KIT PER STL SA 3571 HA			WING ATTACH FITTINGS, S.B. 975 LANDING LITE SEAL,		
		(SEE FORM 337). I CERTIFY THAT THIS AIRCRAFT			INSTALL NEW LEFT TIRE, REPACK ALL WHEEL BEARINGS,		
		HAS BEEN INSPECTED IN ACCORDANCE WITH AN			CHECK ALL PULLEYS CABLES & BELL CRANKS, LUBRICATE		
		ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIR-			AIRCRAFT, I CERTIFY THAT THIS AIRCRAFT HAS BEEN		
		WORTHY CONDITION. (SEE A.D. COMPLIANCE SHEET).			INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION		
					& WAS FOUND TO BE IN AN AIRWORTHY CONDITION (SEE		
					A.D. COMPLIANCE SHEET).		
Total To Carry Forward				Paul R. Wilke Asst 384543806AI		Paul R. Wilke Asst 384543806AI	

AIRCRAFT LOG


Registration No. _____

The tests required by FAR 91.411 & 91.413 & Part 43 App E & F have been performed. Transp S/N 1241 Pwr 200W
A/C Reg 74105 Alt tested to 2,000 ft
Date 5/14/96 Insp A. J. [Signature]
HILLVIEW AVIONICS CRS#YHVR203L

Maintenance				and Remarks	Signature	Certificate No.
				7/7/96 3137 TOTAL TIME		
				INSTALLED KNOTS 20 WING ROOT FAIRING KIT PER		
				STC SA 1216 G-L. NEW WEIGHT & BALANCE COMPUTED AS		
				FOLLOWS: OLD EMPTY WEIGHT 1406.5 ARM 86.62 MOMENT 121,834.09		
				ADP 1.8 54.65 116.37		
				NEW 1408.3 86.59 121,950.46		
				SEE FORM 337, INSTALLED NEW REBELT BATTERY & TESTED,		
				COMPLIED WITH A.D. 96-10-1 & S.B. 925 BY MODIFYING LANDING		
				LIGHT & INSTALLING FOLLOWING PARTS: 1-SUPPORT 85174-02, 2-CROMMET		
				434-126, 1-MOLDED SEAL 63186-6, 1-MOLDED SEAL 63186-27, ADHESIVE		
				911-002, 4 RIVETS MS 20426 AD3. COMPLETED WITH A.D. 96-10-3 &		
Total To Carry Forward						

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance	and Remarks
	This Date	Total			
	Brought Forward →				
S.B. 965 BY MODIFYING FLAP HANDLE & INSTALLING FOLLOWING PARTS: 1-BUSHING 63900-124, 1-BOLT 400-673. REPAIRED ALL WHEEL BEARINGS, CHECK ALL PULLEYS CABLES & BELLCRANKS, LUBRICATE AIRCRAFT. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIRWORTHY CONDITION. (SEE A.D. COMPLIANCE SHEET).					
					7/19/97 3203.74 TOTAL TIME
					REMOVED CORROSION FROM BATTERY BOX AREA TESTED ELT & FOUND OPERATIONAL, BATTERY DUE 7/98, INSTALLED NEW HOSE STRUT BUMPER, REBUILT RIGHT M.L.S. STRUT WITH NEW SEALS & SERVICED WITH AIR OIL, REPAIRED WHEEL BEARINGS, CHECK ALL PULLEYS CABLES & BELLCRANKS, LUBRICATE AIRCRAFT, I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIRWORTHY CONDITION. (SEE A.D. COMPLIANCE SHEET)
					Paul R Wilke A2P384543806AI
Total To Carry Forward					Paul R Wilke A2P384543806AI



Registration No. _____

Date	Airframe Time		Recorder Reading	Maintenance	and Remarks	Signature	Certificate No.
	This Date	Total					
	Brought Forward →						
8/30/97			REMOVED COPILOT SHOULDER HARNESS REELS HAVE REPAIRED BY PACIFIC SCIENTIFILON REINSTALL (SEE FORM 8130-2).		7/5/98 3258.8 TOTAL TIME REPACKED WHEEL BEARINGS, LUBRICATED AIRCRAFT, INSTALLED NEW ELT BATTERY + TEST - DUE 7,2000, SERVICE BATTERY, REPLACED LEFT WING TIP WITH A USED SERVICABLE UNIT, CHECK ALL PULLEYS CABLES + BELLS CRANKS, I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION + WAS FOUND IN AN AIRWORTHY CONDITION. (SEE A.D. COMPLIANCE SHEET).		
			Paul R. Wilke AIP 384543806 AS				
			The tests required by FAR 91.411 and 91.413 Part 43, App E & F have been performed. Transponder S/N 48291 A/C Reg. 44805 Altimeter tested to 35,000 ft. Date 5-12-98 Inspector [Signature] FAA CRS# YHVR203L HILLVIEW AVIONICS				
Total To Carry Forward						Paul R. Wilke AIP 384543806 AS	

AIRCRAFT LOG

Registration No. _____

Date	Aircraft Time		Recorder Reading	Maintenance	and Remarks	Signature	Certificate No.
	This Date	Total					
	Brought Forward →						
8/10/48	3268	TOTAL TIME			7/5/49 3325 TT		
REPLACE LEFT STABILATOR T.P. WITH P.M. GF63584-001					Repack all wheel bearings, inspect brakes & landing gear.		
COMPLIED WITH APER SERVICE BULLETIN SB 1006 BY REMOVING BOTH FUEL TANKS & INSPECTING FOR CORROSION IN MAIN SPAR, SPRAYED INSIDE OF WING WITH CORROSION BLOCK,					lubricated Aircraft, Tested/examined ELT. Batt. expires 7/2000.		
REPLACE ALL FLEX. FUEL LINES, FUEL VENT HOSES, & SENDING UNIT GASKETS.					Serviced battery, replaced L. Fuel pump quick drain control P/N CGA-1550, Dressed Prop Test run & leaks checked.		
Paul R. Welkel					See AD Compliance list.		
A-1384543806 AF					I Certify that this Aircraft has been inspected in accordance with acceptance & 100 hr inspection and was found to be in a Airworthy Condition.		
Total To Carry Forward					for RWR		
					AP373928530		

AIRCRAFT LOG

Registration No. _____



Date	Aircraft Time		Recorder Reading	Maintenance	Signature
	This Date	Total			
7/5/99	Brought forward →	3325 TT			
I certify that this aircraft has been inspected in accordance with an Annual inspection and was found to be in Airworthy Condition.				7-23-2000 TAC AND TOTAL A/C HRS. 3390.6 HRS.	
Annual →				COMPLETED ANNUAL INSPECTION, GREASED GEAR, CHECKED WHEEL BEARINGS, INSPECTED WHEELS, BRAKES AND TIRES, AIRER ALL TIRES, SERVICED ALL THREE STRUTS WITH HYDRAULIC FLUID AND NITROCON, SET N 3 1/4 IN 4 M - 4 1/2 IN 2, INSTALLED DF-18-1 INST. CENTRAL AIR FILTER, DUE EACH 500 HRS - DUE AGAIN AT 3840, INSTALLED B3-S-1 FOAM WH. FILTER, C/W NO 69-22-02 CONTROL WHEEL, EACH 100 HRS DUE AGAIN AT 3490 HRS. (TARGUE LINKS)	
The tests required by FAR 91.411 and 91.413 Part 43, App E&F have been performed. Transponder S/N 48241 A/C Reg 44805 Altimeter tested to 20,000 ft. Date 5/10/00 Inspector [Signature] FAA CRS #YHVR203L HILLVIEW AVIONICS				1072-08-06 DUE AGAIN 3825 HRS. AD 95-24-13 OIL COOLER HOSES, INSPECTION C/W AD 76-07-42 BOWEN MAGNETO SWITCH, C/W NO HRS, DUE AGAIN AT 3490.54 DUE 3490 HRS, REPLACEMENT DUE JULY 2002 OR AT 4338.7 HRS, SEE AD LIST.	
Total To Carry Forward: _____				C/W FAR 91-207 ANNUAL ELT, INSPECTION, DUE AGAIN AT 2001 ANNUAL. INSTALLED CHYS. ALTERNATOR PN 4111810 TFW OVERHALL INSTALLED. CLEANED FUEL SCREEN, ELT. BATTERY - R-88A.	
				DUE AGAIN AT AUG-2002. [Signature]	

I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AIR WORTHY CONDITION.

The Standard
 AIRCRAFT LOG

ASA-SA-2

Aircraft Record General Information

Manufacturer PIPER Model PA 28-140
Serial 28-7525008 Registration Number N44805
Date of Manufacture _____

Engine(s) currently installed:

Manufacturer LYC. Model O-320-E3D Serial L-39341-27A
Manufacturer SENSENICH Model 74DM6-D-58 Serial K-38370

Propeller(s) currently installed:

Manufacturer _____ Model _____
HUB Model _____ Serial _____ Serial _____
Blade Model _____ Serial _____ Serial _____ Serial _____
Blade Model _____ Serial _____ Serial _____ Serial _____

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8-3-2001				TAC AND TOTAL ALC HRS. 3439.89 HRS. COMPLETED ANNUAL INSPECTION, GREASED AND INSPECTED GEAR, CHECKED WHEEL BEARINGS, INSPECTED WHEELS, BRAKES AND TIRES, AIRED ALL TIRES N-29, M-29, SERVICED ALL THREE STRUTS WITH NITROGEN, M-4 1/2" N-3 1/4", TIGHTENED MAIN GEAR CENTER TORQUE LINK BOLTS, CLEANED AND LUBRICATED TAC CONTROL CABLE, PERFORMED ELECTRICAL CHECK, SERVICED BATTERY WITH WATER, TIGHTENED OVER HEAD LIGHT PANEL CIRCUIT BREAKER WIRE AND REPLACED T-89 OVERHEAD LIGHT BULB, FUEL LUBRICATE FUEL PRIMER "O" RINGS, INSPECTED AND LUBRICATED ALL SURFACE CONTROLS CABLES PULLEYS, BELLCRANKS, REPLACED ALL STABILIZER TRIM TAB HINGE PINS C/W AD 69-22-02 CONTROL WHEEL EACH 100 HRS, DUE AGAIN AT 3539.89 HRS. C/W AD 76-07-12 BENDIX MAGNETO SWITCH, DUE EACH 100 HRS. DUE AGAIN AT 3539.89 HRS. C/W FAR 91-207 ANNUAL ELT. INSPECTION, DUE AGAIN AT 2002 ANNUAL, ELT. BATTERY REPLACEMENT DATE AUG-2002 AD00-18-53 OIL FILTER CERTIFY THAT IF 3 CONVERTER PLATE CASSET-DNA C/W SB-518C BY ANNUAL INSPECTION REPLACING OIL VERNA THERM VALVE WITH NEW AND DETAIL TO BE IN AIR WORTHY CONDITION. PN-SL53E19600 William Narden Berg ATP19296571A

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10-22-01				TAC-3 460.56 HRS. JACKED NOSE, INSTALLED NOSE GEAR STRUT REBUILD KIT PN-TPNS-1, SERVICED WITH HYDRAULIC FLUID AND NITROGEN, William Narden Berg ATP19296571A The tests performed by FAR 91.411 and 91.413 Part 43, Appendix E&F have been performed. Transponder S/N 49241 A/C N 4805 Altimeter tested to 20,000 ft. Date 6-18-2002 Inspector Mark S. Allen FAACRSFYHVR203L HILLVIEW AVIONICS, INC.

DATE 2002	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
7-10	3495.1		3495.1	COMPLETED 100HR/ANNUAL INSPECTION. CHECKED ELECTRICAL SYSTEM & SERVICED BATTERY. CHECKED WHEELS, TIRES, & BRAKES. REPLACED NOSE TIRE WITH NEW GOODYEAR (6.00 x 6 LPLY TIRE) LUBRICATED CONTROL SURFACE HINGES, BELLCRANKS, & ROD ENDS. REPLACED AILERON ROD ENDS WITH NEW (452-334, 452-860) CW AD 69-22-02 CONTROL WHEEL, DUE EA 100HRS CW AD 95-26-13 OIL COOLER HOSES, DUE EA 100HRS CW AD 76-07-12 BENDIX MAG SWITCH, DUE EA 100HRS NO NEW AD'S TO DATE. REF AD LOT FOR OTHER THAN 100HA AD'S. CHECKED ELT PER 91.207, INSTALLED NEW BATTERY (BP 1035) NEXT DUE AUG 2004. REPLACED ALTERNATOR BELT WITH NEW (63040) INSTALLED NEW SEALS IN NOSE STRUT & SERVICED WITH 5606 FLUID & NITROGEN. RUN UP/SYSTEMS CHECKS OK.

DATE 10	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.
				Michael Alvar AP 367562160 I A.
8-1-03	3535.7		3535.7	COMPLETED ANNUAL INSPECTION. REMOVED & SERVICED BATTERY. CHECKED ELECTRICAL SYSTEM. LUBRICATED CONTROL SURFACE HINGES & ROD ENDS. CHECKED WHEELS, TIRES, & BRAKES. REPLACED LEFT MAIN TIRE WITH NEW GOODYEAR FLIGHT CUSTUM III 6.00 x 6 LPLY TIRE. SERVICED NOSE STRUT WITH N2. CW AD 69-22-02 CONTROL WHEELS, BY DETAILED VISUAL INSPECTION, DUE EA 100HRS. CW AD 76-07-12

DATE 2003	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
CONT'D →				BENDIX MAGNETO SWITCH, BY OPERATIONAL CHECK, DUE EA 100 HRS. CW AD 95-26-13 - 0H COOLER HOSES, BY VISUAL INSPECTION, DUE DA 100 HRS. REPLACED CABIN DOOR SEAL. REPLACED VACUUM REGULATIVE FILTER (B3-5-1) REPLACED INDUCTION AIR FILTER (BA-3) CW FAR 91.207 ELT FAILED INTERMITTENTLY. ORDERED NEW ACK E-61 FOR FUTURE INSTALLATION. PLACARDED INSTRUMENT PANEL. RUN UP SYSTEMS CHECKS OK. ALL APPLICABLE AT'S FOR THIS AIRCRAFT, ENGINE, PROPELLER, AND APPLIANCES HAVE BEEN RESEARCHED AND COMPLIED WITH 8-1-03
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION. <i>[Signature]</i> AP372445955 IA				

DATE 2003	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8-5-03	3539.1		3539.1	REMOVED OLD PIPER ELT AT STATION 2362 5. INSTALLED NEW ACK ELT-01 AT STATION 122.5. OLD ELT WEIGHED 1.6 LBS. NEW ELT WEIGHED 3.3 LBS NEW CALCULATED WT & BALANCE DATA: NEW EMPTY WT = 1410.0 LBS. NEW EMPTY WT. C.G. = 86.50 THE ELT SYSTEM HAS BEEN INSPECTED AND OPERATIONALLY TESTED PER 91.207 (d)(1)(2)(3)(4). BATTERY REPLACEMENT NEXT DUE AUG 2007 <i>[Signature]</i> AP372445955

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
2004				
5-21	3558.1		3558.1	REPLACED AIRCRAFT BATTERY WITH NEW CONCORDE CB 35. REPAIRED WIRE ON FIN BELOW. OPERATIONAL CHECK OK. <i>[Signature]</i> AP872446956
The tests required by FAR 91.411 and 91.413 Part 43, Appendix I & J have been performed. Transponder S/N <u>48241</u> A/C <u>N44805</u> Altimeter tested to <u>20,000</u> ft. Date <u>6/25/04</u> Inspector <i>[Signature]</i> FAA CRS-VHVR2031 HILLVIEW AVIONICS, INC.				

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				
Maintenance Release Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782 FAA Certified Repair Station # ECLR465D DATE 7-26-04 HOBBS REG N44805 SN 7525008 SMOH TT MN PA-28-140 TACH 3571 STOH *annual inspection CW The aircraft airframe, engine, propeller or appliance above was <u>X</u> repaired, <u> </u> overhauled, <u>X</u> tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No 5144, Dated 7-26-04 Authorized Signature <i>[Signature]</i> I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition For FAA CRS # ECLR465D <i>[Signature]</i>				
Maintenance Release Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782 FAA Certified Repair Station # ECLR465D DATE 4-30-05 HOBBS REG N44805 SN 7525008 SMOH TT MN PA-28-140 TACH 3571 STOH *remove engine for overhaul and conversion to 160 hp per RAM Aircraft STC #SEA875W and reinstallation using Ram Aircraft STC # SA27065W see 3337 form this date *ground run and test flown no leaks found The aircraft airframe, engine, propeller or appliance above was <u>X</u> repaired, <u>X</u> overhauled, <u>X</u> tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No 5501, Dated 4-30-05 Authorized Signature <i>[Signature]</i>				

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE 8-19-05 HOBBS REG N44805
 SN 28-752008 SMOH TT 3581
 MN PA-28-140 TACH 3581 STOH

Annual Inspection Due - cw annual inspection work
 *drain oil and change filter service with 8 qts of 100w oil
 *examine screen and filter no metal found
 *nose strut flat - airate nose strut
 *retorque all pertinent engine fasteners per engine overhaul manual
 *Turn and bank not working - replace with new turn coordinator
 *clean, gap and test all plugs
 *brakes spongy - bleed mlg and hand brakes
 The following ad cw 69-22-02 control wheel (priority letter dated 7-7-2005) next due at 3681
 Ad #70-16-05 R1 (muffler) next due at 3681
 ELT tested per 91.207D batteries due at 8-07

The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 5620, Dated 8-19-05 Authorized Signature [Signature]

I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in satisfactory condition.
 Paul Welke IA 384543806 [Signature]

DATE 19
 RECORDING TIME
 TODAY'S FLIGHT
 TOTAL TIME IN SERVICE
 Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE 9-08-06 HOBBS REG N44805
 SN 28-752008 SMOH TT 3597
 MN PA-28-140 TACH 3597 STOH

Annual Inspection Due - cw annual inspection work
 *drain oil and change filter service with 8 qts of 100w oil
 *examine screen and filter no metal found
 *clean, gap and test all plugs
 The following ad cw 69-22-02 control wheel (priority letter dated 7-7-2005) next due at 3697
 Ad #70-16-05 R1 (muffler) next due at 3697
 ELT tested per 91.207D batteries due at 8-07
 Altimeter and static system tested per 91.411 and FAR 43 Appendix E have been satisfactorily performed
 See ad list dated 9-11-06 for updated ad compliance list

The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1078, Dated 9-08-06
 Authorized Signature [Signature]

I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in satisfactory condition.
 Paul Welke IA 384543806 [Signature]

DATE 18
 RECORDING TIME
 TODAY'S FLIGHT
 TOTAL TIME IN SERVICE
 Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECTJRA65D

DATE	8/03/07	HOBBES	REG	N44805
SN	28-752008	NMORI	TT	3617
MS	PA-28-140	TACH	3613	STOH

Annual inspection checklist cw

- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of aero shell 100w oil
- *clean gap and test all plugs
- *replace FLT and ELT remote batteries, next due in 08/09
- *Test ELT per 91.207D
- *replace air filter element with new filter
- *replace throttle bracket bolt with new pin LW-25-2.25
- *inspect exhaust system
- *repack all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and lube fuelage
- *replace broken transponder antenna with serviceable unit, ops test satisfactory
- *stop drill small cracks in bottom of right wing under step
- *CW AD # 64-22-02 control wheel inspection
- *CW AD 70-16-05 R1 muffler inspection

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1190, Dated 8/03/07

Authorized Signature *Paul Welke*

I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Paul Welke IA 384543806 *Paul Welke*

DATE RECORDING TACH TOTALS FLIGHT TIME IN Description of Inspections, Tests, Repairs and Alterations
 Entries must be made in accordance with Name, Rating and Certificate Number of
 See back pages for other specific entries.)

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECTJRA65D

DATE	9/17/08	HOBBES	REG	N44805
SN	28-752008	NMORI	TT	3617
MS	PA-28-140	TACH	3613	STOH

Annual inspection checklist cw

- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of aero shell 100w oil
- *clean gap and test all plugs
- *inspect FLT and ELT remote batteries, next due in 08/09
- ELT is TSO-C91A type ACK-E-01
- *Test ELT per 91.207D
- *replace air filter element with new filter
- *inspect exhaust system
- *repack all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and lube fuelage
- *replace nose strut bumper block
- *CW AD # 64-22-02 control wheel inspection
- *CW AD 70-16-05 R1 muffler inspection

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1841, Dated 9/17/08

Authorized Signature *Neal Boyle*

I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Neal Boyle IA258528112 *Neal Boyle*

DATE RECORDING TACH TOTALS FLIGHT TIME IN Description of Inspections, Tests, Repairs and Alterations
 Entries must be made in accordance with Name, Rating and Certificate Number of
 See back pages for other specific entries.)


Maintenance Release
Inland Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE: 10/08/09	HOBBS	REL: N44805
SN: 28-112-4	NMOH	TI: 3655
MN: PA-28-140	TACH: 3655	STOH

Annual inspection checklist cw

- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of acw-shell 100w oil
- *clean gap and test all plugs
- *inspect 11.1 and 12.1 remote batteries, next due on 10/2010
- ELT is TSC11WA type ACX-1-01
- *Test 12.1 per 91 207D
- *replace air filter element with new filter
- *inspect exhaust system
- *repack all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and lube fuselage
- *CW AD # 69-22-42 control wheel inspection
- *CW AD 70-16-05 R1 muffler inspection
- *see ad list for complete AD compliance

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 2088, Dated 10/08/09.

Authorized Signature: 
 I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 1750877

DATE	10/08/09
RECORDING	TACH
FLIGHT	TIME
TOTAL	TIME IN SERVICE

Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)


Maintenance Release
Inland Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE: 5/01/11	HOBBS	REL: N44805
SN: 28-112-008	SMOH	TI: 3655-2695
MN: PA-28-140	TACH: 3655-2695	STOH

Annual inspection checklist cw

- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of acw-shell 100w oil
- *clean gap and test all plugs
- *inspect 12.1 and ELT remote batteries, next due in 5/2012
- *Test 12.1 per 91 207D
- *replace air filter element with new filter
- *remove clean and reinstall gascolator
- *Replace vacuum system filter with new filter
- *inspect exhaust system
- *repack all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and lube fuselage
- *CW AD # 69-22-42 control wheel inspection
- *CW AD # 2010-15-10 control wheel shaft inspection
- *CW AD 70-16-05 R1 muffler inspection
- *CW AD 2010-15-10 control shaft inspection
- *see ad list for complete AD compliance

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 4005, Dated 5/01/2011.

Authorized Signature: 
 I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 1750877

DATE	5/01/11
RECORDING	TACH
FLIGHT	TIME
TOTAL	TIME IN SERVICE

Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Island Airways Maintenance Release
36155 East Side Dr. Beaver Island MI 49782
111 Airport dr. Charlevoix MI
FAA Certified Repair Station # ECLR465D

DATE 6/7/12	HOBBS	REG N44805
SN 28-75248	SMOH	TT 3689
MN PA-28-140	TACH 3689	STOH

Annual inspection checklist cw
*drain oil and change filter
*inspect screen, no metal found
*service with 8 qts of Aero Shell 100w oil
*clean gap and test all plugs
*inspect ELT and 11.7 remote batteries, next due in 6/2013
*Test ELT per 91.20713
*replace air filter element with new filter
*remove clean and re-install gascolator
*Replace vacuum system filter with new filter
*inspect exhaust system
*repack all wheel bearings, inspect all brake pads
*check mag timing
*inspect and lube fuelage
*remove spinner and replace with composite spinner in LAW STC SA01106AT
See 337 form this date
*see ad list for complete AD compliance
The aircraft airframe, engine, propeller or appliance above
was repaired, ☒ overhauled, ☒ tested and inspected in accordance with current
maintenance rules of the FAR's and is approved for return to service. Pertinent
details of the work are on file under Work Order No. 4110, Dated 6/7/12
Authorized Signature *[Signature]*

I certify that this airframe has been inspected in accordance with an annual
inspection checklist and found to be in airworthy condition.
Paul Welke SA 1750477 *[Signature]*

DATE RECORDED TODAY'S TOTAL Description of Inspections, Tests, Repairs and Alterations

Island Airways Maintenance Release
36155 East Side Dr. Beaver Island MI 49782
111 Airport dr. Charlevoix MI
FAA Certified Repair Station # ECLR465D

DATE 6/22/12	HOBBS	REG N44805
SN 28-752008	SMOH	TT 3689
MN PA-28-140	TACH 3689	STOH

*remove spinner and send to ASLJ for repair and re-install after repair completed.
See yellow tag dated 6/22/12
The aircraft airframe, engine, propeller or appliance above
was repaired, ☒ overhauled, ☒ tested and inspected in accordance with current
maintenance rules of the FAR's and is approved for return to service. Pertinent
details of the work are on file under Work Order No. 4110, Dated 6/7/12
Authorized Signature *[Signature]*

Island Airways Maintenance Release
36155 East Side Dr. Beaver Island MI 49782
111 Airport dr. Charlevoix MI
FAA Certified Repair Station # ECLR465D

DATE 5/15/13	HOBBS	REG N44805
SN 28-752008	SMOH	TT 3698
MN PA-28-140	TACH 3698	STOH

*remove airframe battery and replace with new Gull G-35 per # G02341690
installed
The aircraft airframe, engine, propeller or appliance above
was repaired, ☒ overhauled, ☒ tested and inspected in accordance with current
maintenance rules of the FAR's and is approved for return to service. Pertinent
details of the work are on file under Work Order No. 4272, Dated 5/15/13
Authorized Signature *[Signature]*

DATE RECORDED TODAY'S TOTAL Description of Inspections, Tests, Repairs and Alterations

Island Airways

36155 East Side Dr. Beaver Island MI. 49782

DATE 6/12/14	HOBBS	REG N44805
SN 28-752008	SMOH	TT 3710
MN PA-28-140	TACH 3710	STOH

Annual inspection checklist cw

- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of aero shell 100w oil
- *clean gap and test all plugs
- *replace ELT and ELT remote batteries, next due in 6/2015
- *Test ELT per 91.20713 next due in 6/2015
- *replace air filter element with new filter
- *remove clean and reinstall gascolator
- *inspect exhaust system
- *repack all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and lube fuselage
- *CW AD # 69-22-02 control wheel inspection
- *CW AD 70-16-05 R1 muffler inspection
- *see ad list for complete AD compliance

Neal Boyle IA3406469 AWP

I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Paul Welke IA 1750807

Island Airways

36155 East Side Dr. Beaver Island MI. 49782

DATE 9/17/15	HOBBS	REG N44805
SN 28-752008	SMOH	TT 3715
MN PA-28-140	TACH 3715	STOH

Annual inspection checklist cw

- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of aero shell 100w oil
- *clean gap and test all plugs
- *replace ELT and ELT remote batteries, next due in 9/2017
- *Test ELT per 91.207D next due in 9/2016
- *replace air filter element with new filter
- *remove clean and reinstall gascolator
- *inspect exhaust system
- *repack all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and lube fuselage
- *CW AD # 69-22-02 control wheel inspection
- *CW AD 70-16-05 R1 muffler inspection
- *see ad list for complete AD compliance

I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Paul Welke IA 1750807

Island Airways 36155 East Side Dr. Beaver Island MI 49782			
DATE 10/1/16	HOBBS	REG N44805	
SN 28-7525008	SMOH	TT 3724	
MN PA-28-140	TACH 3724	STOH	

*Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil, 1 pt of cam guard
 *clean gap and test all plugs
 *replace ELT and ELT remote batteries, next due in 9/2017
 *Test ELT per 91.207D next due in 10/2017
 *replace air filter element with new filter
 *remove clean and reinstall gascolator
 *inspect exhaust system
 *repack all wheel bearings, inspect all brake pads
 *check mag timing
 *replace passenger shoulder harness with serviceable unit, ops test satisfactory
 *inspect and lube fuselage
 *remove previously installed Icom C receiver and associated harness, leave antenna and coax in place per owner request, see 337 form this date
 Weights and balance updated to:
 New empty weight 1402.7
 New CG 86.69
 New moment 121602.29
 New useful load 747.3
 *see ad list for complete AD compliance
 I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 1750807 *Paul Welke*

DATE
RECORDING
TACH
TIME
TOTAL
TIME IN
SERVICE
Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Island Airways 36155 East Side Dr. Beaver Island MI 49782			
DATE 5/3/18	HOBBS	REG N44805	
SN 28-7525008	SMOH	TT 3730.3	
MN PA-28-140	TACH 3730.3	STOH	

*Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil, 13 oz. of cam guard
 *clean gap and test all plugs
 *replace ELT and ELT remote batteries, next due in 5/2020
 *Test ELT per 91.207D next due in 5/2019
 *replace air filter element with new filter
 *remove clean and reinstall gascolator
 *inspect exhaust system
 *repack all wheel bearings, inspect all brake pads
 *check mag timing
 *inspect and lube fuselage
 *see ad list for complete AD compliance
 I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 1750807 *Paul Welke*

DATE
RECORDING
TACH
TIME
TOTAL
TIME IN
SERVICE
Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Island Airways 36155 East Side Dr. Beaver Island MI 49782			
DATE 6/5/19	HOBBS	REG N44805	
SN 28-7525008	SMOH	TT 3737	
MN PA-28-140	TACH 3737	STOH	

*Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil, 13 oz. of cam guard
 *clean gap and test all plugs
 *inspect ELT and ELT remote batteries, next due in 5/2020
 *Test ELT per 91.207D next due in 6/2020
 *replace air filter element with new filter
 *clean and reinstall gascolator
 *inspect exhaust system
 *repack all wheel bearings, inspect all brake pads
 *check mag timing
 *adjust voltage regulator for proper voltage
 *replace airframe battery with new G35 ser # G02785173 installed
 *replace right side rear window with new window/wg WG-1020-080
 *inspect and lube fuselage
 *see ad list for complete AD compliance
 I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Neal Boyce IA 3406449 *Neal Boyce*

DATE
RECORDING
TACH
TIME
TOTAL
TIME IN
SERVICE
Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

DATE	8/1/20	REG	8888	REG	N44805
SN	28-7525008	SMOKE	TT	3750 7	
MN	PA-28-140	TACH	3750 7	STONE	

- *Annual inspection checklist complete
- *drain oil and change filter
- *inspect screen, no metal found
- *service with 8 qts of new shell 100w oil, 13 oz. of cam guard
- *clean gap and test all plugs
- *replace 13.1 and 13.7 remote batteries, next due in 8/21
- *Test 13.1 per 91 207D next due in 8/21
- *replace air filter element with new filter
- *clean and recast fuel pump
- *inspect exhaust system, repair cabin heat blower on muffler shroud
- *inspect all wheel bearings, inspect all brake pads
- *check mag timing
- *inspect and tube fuelage
- *test all for complete A/D compliance
- *I certify that this airframe has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Neal Boyle LA3406469

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8/1/20	3788.47		3788.47	Annual inspection /AV per PA-28-140 service Manual. Checked ELT to R/W. FAR 91.207D check good. Checked all AD's. I certify that this aircraft has been inspected IAV an annual inspection and was found to be in an airworthy condition. Marsila Zorapt Asp: 12723371A

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 10/21/2021 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:3840.6 TACH: 3840.6 SMOH: 269.6 Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Champion CH48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner <i>Brendan Sterling</i>

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				LAUNCH PAD AVIATION REG: N44805 SN: 28-752008 Airframe DATE: 10/27/2021 TACH: 3840.74 C/W AD 68-22-03/ AD 2000-15-10 Control Wheel and Control wheel shaft inspection, no issues found. C/W AD 95-26-13 to replace the oil cooler type C hoses with type D hoses. C/W AD 20-24-05/ 18 (30AA) Main wing spar inspection for corrosion, no issues found. All work completed per Piper MM. Aircraft is returned to service. Russell Satterfield AEP 151618 <i>Russell Satterfield</i>

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 01/24/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:3895.8 TACH: 3895.8 SMOH: 324.8 Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Champion CH48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 03/16/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 376.9 ^{BK} TT: 3947.9 TACH: 3947.9 SMOH: 478.7 Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Champion CH48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	------------------	-----------------------------	---



AVIATION

4562 E Mallory Cir Hanger 115, Mesa, AZ 85215

AIRFRAME LOG ENTRY

Date: 03/03/2022 Reg No: N44805 S/N: 28-752008

Tach: 3934.17

Complied with AD 69-22-02 effective date 07/30/1979. Failure of control wheel, with no discrepancies noted next due 4034.17 Tach (100 Hour)

Aircraft is returned to service

Russell Saterfield

ASP 4358598

[Signature]

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	------------------	-----------------------------	---

Date: 05/04/2022 MN: PA-28-140

REG: N44805 SN: 28-752008

TT: 3997.9 TACH: 3997.9 SMOH: 426.9

Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Champion CH48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual.

Brendan Sterling, CP #4168724, owner

DATE 19	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
------------	---------------------------	-------------------	-----------------------------	---

N44805
TACH 39652



PIPER
PA-28-140
S/N 28-752508
4/6/2022

1. INSTALLED NEW BRAKE LININGS ON LH BRAKE CALIPER
2. RESEALED RH BRAKE CALIPER AND REID LEAK CHECK GOOD
3. REPS ACT'D INBOARD BRAKE LINING ON RH CALIPER
4. RESEALED LH N/G STRUT AND SERVICED WITH 5606 HYDRAULIC FLUID AND NITROGEN

REFERENCE CHECKED MAINTENANCE MANUAL FOR WORK PERFORMED

MARIA TORRES AP32078741A

DATE 19	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
------------	---------------------------	-------------------	-----------------------------	---

N44805 A/C SN: 28-752508 Piper PA-28-140 Tach. 4034.17 Date: 07/15/2022

Complied with AD 69-22-02, effective date 07/30/1979 failure of control wheel, with
no discrepancies noted, next due 4134.17 Tach (100hr).

Aircraft returned to service.

Russel Sotersted
AIP 4300000

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 05/28/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:4049.7 TACH:4049.7 SMOH: 478.7 Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Champion CH48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 06/28/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:4101.7 TACH:4101.7 SMOH: 530.7 Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Champion CH48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)
-----------------	---------------------------	------------------	-----------------------------	--

N44805 A/C SN: 28-7525008 Piper PA-28-140 Tach: 4132.2 Date: 08/24/2022

Complied with AD 69-22-02, effective date 07/30/1979 failure of control wheel, with no discrepancies noted, next due 4232.2 Tach (100hr).

Aircraft returned to service.

Russell Satterfield
ASP 4358568

N44805 A/C SN: 28-7525008 Piper PA-28-140 Tach: 4157.7 Date: 08/24/2022
Removed and replaced ELT batteries and performed ELT test and inspection per 14 CFR 91.207(d), no discrepancies noted. ELT expires MAR 2024.

Russell Satterfield
ASP 4358568

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries)
-----------------	---------------------------	------------------	-----------------------------	--

AIRFRAME LOG ENTRY

Date: 8/24/2022 Reg No: N44805 Model: Piper-28-140 SN: 28-7525008 Tach: 4157.7
AFTT: 4157.7

Completed Annual inspection per the scope and detail of 14 CFR Part 43 (appendix D) and Piper inspection Form as a guide. Placed A/C on jacks, cleaned, inspected and re-packed Nose and Main Wheel Bearings with Mobil SHC 100 Grease. Lubricated flight controls per AMM, checked and verified correct flight control cable tension per AMM, no defects noted. Checked and Verified Flight control travels per AMM, no defects noted at this time. Replaced all Valve Cover Gaskets with new ones. Installed Spinner Dome Provided by Customer. All Applicable AD's C/W and Checked through Week 8/22/2022.

I certify that this aircraft has been inspected in accordance with an annual inspection as per the scope and detail of 14 CFR Part (appendix D) and was determined to be in airworthy condition.

Roberto M. Ibarra Rivas ASP 3509249 IA

Roberto M. Ibarra Rivas

DATE	TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations (Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				Date: 09/27/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:4212.8 TACH:4212.8 SMOH: 641.8 Drained oil, removed oil filter, inspected screen, no metal found, replaced filter with Tempest AA48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner

DATE	TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations (Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				N44805 A/C SN: 28-752008 Piper PA-28-140 Tach: 4215.18 Date: 10/12/2022 Removed and replaced fuel boost pump with new unit. Ground ran aircraft no issues found, no leaks found. All work performed IAW Piper MIA. Aircraft returned to service. Russell Satterfield AIP #125599 

480-616-0308

Work performed by: [Signature] Date: 12/11/2025
Inspected by: [Signature] Work Order: 44805

Inspected by: _____

Date: 12/11/2025
Work Order: 44805

Description of Inspections, Tests, Repairs and Alterations
 Entries must be endorsed with Name, Rating and Certificate Number of Technician or Boats Engineer. (See back cover for other specific entries.)

no other school

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 11/15/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:4263.7 TACH: 4263.7 SMOH: 692.7 Drained Oil, removed oil filter, inspected screen, no metal found, replaced filter with Tempest AA48110-1, safety-wired filter, added 8 quarts of Aeroshell W100 oil and 13oz of camguard, ran and leak-checked engine, done in accordance with Piper Cherokee service manual. Brendan Sterling, CP #4168724, owner

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				Date: 12/29/2022 MN: PA-28-140 REG: N44805 SN: 28-752008 TT:4296.9 TACH: 4296.9 SMOH: 725.9 Removed lead coupling nuts and old spark plugs, checked gap on new tempest UREM40E plugs, they were between .015 and .018in pre gapped from manufacturer, applied anti-seize compound, installed new spark plugs hand tight then torqued to 30ftlbs (360inlbs), reinstalled leads and tightened coupling nuts, ran up the engine and tested magnetos, test was good and no defects observed. Done in accordance with Piper Cherokee service manual and Tempest installation and maintenance manual guide. Brendan Sterling, CP #4168724, owner

DATE	DESCRIPTION	AMOUNT	BALANCE
1999-01-01	Opening Balance		100.00
1999-01-15	Deposit	50.00	150.00
1999-02-01	Withdrawal	20.00	130.00
1999-02-15	Deposit	30.00	160.00
1999-03-01	Withdrawal	10.00	150.00
1999-03-15	Deposit	40.00	190.00
1999-04-01	Withdrawal	30.00	160.00
1999-04-15	Deposit	20.00	180.00
1999-05-01	Withdrawal	10.00	170.00
1999-05-15	Deposit	30.00	200.00
1999-06-01	Withdrawal	20.00	180.00
1999-06-15	Deposit	40.00	220.00
1999-07-01	Withdrawal	30.00	190.00
1999-07-15	Deposit	20.00	210.00
1999-08-01	Withdrawal	10.00	200.00
1999-08-15	Deposit	30.00	230.00
1999-09-01	Withdrawal	20.00	210.00
1999-09-15	Deposit	40.00	250.00
1999-10-01	Withdrawal	30.00	220.00
1999-10-15	Deposit	20.00	240.00
1999-11-01	Withdrawal	10.00	230.00
1999-11-15	Deposit	30.00	260.00
1999-12-01	Withdrawal	20.00	240.00
1999-12-15	Deposit	40.00	280.00
1999-12-31	Closing Balance		280.00

N44805
TACH 4345 60
AFTT 4345 60



PIPER
PA-28-140
S/N 28-752500
12/12/2021

- 1 COMPLIED WITH ANNUAL INSPECTION PER 14 CFR 43 APPENDIX D USING RED MOUNTAIN AIRCRAFT MAINTENANCE
2 ANNUAL / 100 HOUR CHECKLIST
3 TESTED AND INSPECTED FLT PER FAR 91.207 PARA D - BATTERIES DUE MARCH 2020.
4 REPLACED VACUUM SYSTEM AND VACUUM REGULATOR FILTERS
5 RECHECKED AIR BRAKE AND PARKING BRAKE STRINGS
6 ADJUSTED AIR BRAKE CABLE TENSION, KEPT IN POSITION AND TRAVEL STOPS
7 ADJUSTED AIR BRAKE CABLE TENSION AND TRAVEL STOPS
8 REINSPECTED AIR BRAKE FROM FUEL METER ARROWS AND AFT CABLE, ADJUSTED STABILIZER TRIM CABLE TENSION AND
9 REINSPECTED CORRECT TRAVEL
10 FLIGHT IS FLIGHT AND FLIGHT CONTROLS
11 COMPLIED WITH N4423A BY VERIFYING AFT WING-TO-FUSELAGE BOLTS ARE SECURE, BOLTS DID NOT ROTATE WITH
12 OBTAINING CHECK, APPLIED TORQUE STRIPS TO BOLT HEADS
13 INSPECTED AND CLEANED GASCOILER SCREEN AND FUEL PUMP FILTER, REPLACED CURTIS VALVE ON
14 GASCOILER
15 REPLACED PRIMER O-RINGS
16 REMOVED L/H AND PARKING BRAKE MASTER CYLINDERS
17 REPLACED L/H AND R/H BRAKE HOSES AT STRUTS
18 REMOVED R/H BRAKE CALIPER, REPLACED L/H BRAKE CALIPER
19 FINISHED AND BLED BRAKE SYSTEMS
20 REPLACED L/H AND R/H BRAKE ROTORS
21 INSTALLED WHEEL PANT SUPPORT ASSEMBLY ON L/H LG
22 REMOVED NEG STRUT
23 REPLACED NEG STRUT BUMPER
24 REMOVED R/H LG STRUT
25 REMOVED CABIN DOOR HINGES
26 REPLACED ANTI-CATTERY TAPE AROUND FIREWALL FOR CYWING
27 INSTALLED NEW BATTERY, P/N 45448131, SERVO 122 AND CHARGED
28 REPLACED SECTIONS OF WIRING FOR THE NOSE LANDING LIGHT FORWARD OF THE FIREWALL
29 REPLACED TAIL NAV LIGHT BULB.

- 26 TROUBLESHOT AND CORRECTED WIRING FOR ALTERNATOR OUT ANNUNCIATOR INDICATION TO MATCH PIPER WIRING
SCHEMATIC FOR CIRCUIT W/ WIRE VOLT/AMP METER IN BATTERY LEAD CIRCUIT. REF ELECTRONICS INTERNATIONAL
041012 (REV IN A AND C) AND H 0409134 (REVISION C)
27 REPLACED PROPELLER SPINNER BACKPLATE AND FORWARD BULKHEAD.
28 REPLACED EXHAUST TAIL PIPE.
29 REPLACED TRANSDUCER ANTENNA.
30 COMPLIED WITH AD 69-22-02 BY REMOVING PIPER MEDALLIONS FROM YOKES AND INSPECTING YOKES FOR CRACKS
UNDER MAGNETIC ARM. NO CORRECTIONS NEEDED. NEXT DUE: 4456.6 AFTT.
31 COMPLIED WITH AD 76-07-12 BY VERIFYING ENGINE STOP/FIRING SWITCH POSITION. SWITCH IS ROTATED TO "OFF"
POSITION. NEXT DUE: 4456.6 AFTT.
32 AD 2013-02-13 PCW ON 0801 To 20 at 1840 34 HRS. NEXT DUE 08/2028 OR 5750.7 AFTT.
33 AD 2020-24-05 PCW ON 10/27/2021. NEXT DUE 10/2028.

REFLECT THE ARCHER MM FOR WORK PERFORMED. I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

SCOTT CASE  APR 28 1999 LA

(cont.) Se

ENGINE LOG



PIPER AIRCRAFT CORPORATION

ENGINE DESCRIPTION

Manufacturer: Lycoming Serial No. L-39341-27A
WILLIAMSPORT, PA. Horsepower: 150
 Model: O-320-E3D FAA T. C. No. L-274

[illegible]

अनुसंधान

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Jan-3-1915	Brought Forward →		100	Annual Inspection Clean & gap spark check engine control
Total To Carry Forward				

and Remarks	Signature	Certificate No.
plugs, change oil - clean screen & paper oil filter Tighten alternator belt.	I certify that this aircraft has been inspected in accordance with a pre-flight inspection and found to be airworthy. C. F. Raymond A/P - 758376 AL <i>C. F. Raymond</i>	

ENGINE LOG

[illegible]

and Remarks	Signature	Certificate No.
clean + gap spark plugs. clean engine compartment. Filter O/F 1/A. Replace 2 exhaust gaskets. etc.	I certify that this aircraft has been inspected in accordance with a visual inspection and found to be airworthy. C. F. Raymond A/P-758276A C. F. Raymond	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →		300	June 12-1975 Annual Clean & gap Spark plugs change oil - Replace oil check engine compartment
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →		400 hr.	
	Sep. 27-1975	160 hr.	inspected	
	Clean & gap spark plugs.			
	Change oil. Clean filter.			
	Replace oil filter. Check engine controls.			
				I certify that this aircraft has been inspected in accordance with a visual inspection and found to be airworthy. C. F. Raymond A/P - 758376 JLS C. F. Raymond
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Brought Forward →			TR-500	
Jan-2-1975 100 HW inspection clean & gap spark plugs, change oil change oil filter, check battery.				
Certify that this aircraft has been inspected in accordance with a <i>Inspected</i> inspection and found to be airworthy. C. F. Raymond A/P-758376 A/Li <i>C. F. Raymond</i>				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
TR-600 Mar-2-1976 100 hr inspection Clean & good aircraft change oil - clean screen. check battery clean generator	I certify that this aircraft has been inspected in accordance with FAA inspection and found to be airworthy. C. F. Raymond Aircraft Inspector C. F. Raymond	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
	Aug-1-1976		TL-700	100 HV inspection Clean & gap spark plugs change oil - clean screen compression check.
				I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy. C. F. Raymond A/P-758376 AL C. F. Raymond
Total To Carry Forward				

and Remarks	Signature	Certificate No.
TL-800 Sept-10-1976 100 HV inspection Clean & gap spark plugs change oil - Replace filter of FA compression check. Clean fuel screen - clean generator Remove alternator - replace + terminal wire end. Reinstall alternator Attachment		
Garrett ELI battery Dec Dec 1977		
	I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy. C. F. Raymond A/P-758376 AL C. F. Raymond	

ENGINE LOG

[illegible]

and Remarks	Signature	Certificate No.
<i>inspection:</i> <i>change oil</i> <i>of 11 A.</i> <i>partment.</i>		
I certify that this aircraft has been inspected in accordance with a <u>100</u> Inspection and found to be airworthy. C. F. Raymond A/P-758376 A-1 <i>C. F. Raymond</i>		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Brought Forward →	April-12-1977	100 HV inspection. clean + gap spark plugs. change oil. replace oil filter. check exhaust system. Fill Hydraulic System.	TR-1000	
Total To Carry Forward				

I certify that this aircraft has been inspected in accordance with a 100 hr Inspection and found to be airworthy.

C. F. Raymond
A/P-75836 AL
[Signature]

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
AUG-10-77	Brought Forward →	100 HV inspection	T.R.-1100 hr	
	Cleaned & replaced spark plugs			
	change oil.			
				I certify that this aircraft has been inspected in accordance with a 100 inspection and found to be airworthy. C. F. Raymond A/P-758316 AE <i>C.F. Raymond</i>
Total To Carry Forward				

and Remarks	TK-1188 ³ / 118	Signature	Certificate No.
Oct-3-1977 Annual Inspection clean & gap spark plugs change oil - clean screen Replace alternator. check & charge battery.			
		I certify that this aircraft has been inspected in accordance with a Annual inspection and found to be airworthy.	
		C. F. Raymond A/P-758376 A.I. C. F. Raymond	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward	→ April -1-1978	100 hr	insp.
	clean & gap spark plugs			
	change oil - clean Replace Oil Filter			
	check exhaust system			
	check hydraulic fluid -			
	I certify that this aircraft has been inspected in accordance with a 100 hr inspection and found to be air worthy.			
	C. F. Raymond A/P - 75376 A/N			
	May 3-1978 Replace vacuum pump -			
	C. F. Raymond A/P 75376			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
May-24-1978 100 HV inspection Clean + gap spark plugs change oil - clean screen. check exhaust. Fuel Hyd. system.	R-1400	
	I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy. C. F. Raymond A/P-75420 Ad C. F. Raymond	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
June 19 1978	Brought Forward →	100 HV inspection	TR-1500	
		clean & gap spark plugs		
		change oil - clean screen		
I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy.				
C. F. Raymond A/P-758376 A.I.				
<i>C.F. Raymond</i>				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Aug-9-1978 - 100 HV inspection.		
clean & gap spark plugs -		
change oil - clean screen	<i>Raymond</i>	
check exhaust system.		
I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy.		
C. F. Raymond A/P-758376 A.I.		
<i>C.F. Raymond</i>		


ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →		TR-1700	
	Oct. 3-1978 - 100 HV inspection.			
	Clean & gap Spark plugs			
	Compression test 8 10 7 10			
	Change oil - change D.I. filter unit.			
	Wash down engine - Check generator			
	I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy.			
	C. F. Raymond A/P-758376 A.I.			
	<i>C.F. Raymond</i>			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
TR-1800 HV		
Apr. 9 - 2-1979 110 HV inspection		
Clean & gap Spark plugs		
Compression test		
Change oil - change D.I. filter unit		
Clean generator.		
I certify that this aircraft has been inspected in accordance with a 100 HV inspection and found to be airworthy.		
C. F. Raymond A/P-758376 A.I.		
<i>C.F. Raymond</i>		

$$\frac{1}{2} \log \frac{1}{2} + \frac{1}{2} \log \frac{1}{2}$$

Raymond

and Remarks	Signature	Certificate No.
TR-2000		
Sept-10-1979 - 100 HV inspection		
Install Rem 40 Spark plugs (8)		
change oil. Replace oil filter	50W Aero Shell.	
clean ignition harness - clean gascolator.		
Replace L.H. magnet.		
	I certify that this aircraft has been inspected in accordance with a <u>100</u> inspection and found to be airworthy. C. F. Raymond A/P-758376 A.I. 	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →	Jan-10-1980	100 hr Inspection	TR-2100 hrs
			Clean + gap Spark plugs, change oil Replace oil filter element - 8 qt. 30-20 Sae Shell oil clean gasolator. check fuel drain.	
			Compression test Cyl 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	
			I certify that this aircraft has been inspected in accordance with a 100 hr inspection and found to be airworthy at this time.	
			C. F. Raymond A/P-758376 A2	
			C. F. Raymond	
			Total To Carry Forward	

and Remarks	TR-2200 hrs	Signature	Certificate No.
July 14-1980. 100 hr inspection			
clean & gap spark plugs			
change oil - Replace Filter of 11A			
Add battery water. Check Hyd Fluid			
check gascolator			
Comp Test Cyl 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100			
I certify that this aircraft has been inspected in accordance with a 100 hr inspection and found to be airworthy.			
C. F. Raymond A/P-758376 A2			
C. F. Raymond			
check			

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
 GASTONIA AIRCRAFT ENGINE SERVICE, INC. MUNICIPAL AIRPORT • PHONE 867-0571 GASTONIA, N. C. 28052				
THIS ENGINE SER. # <u>L-39341-27A</u> WAS OVERHAULED THIS DATE <u>OCT. 31, 1980</u> TIME <u>2248:16</u> ^{TACH} PER F.A.A. REGULATIONS AND MFG. SPEC. SEE LOG BOOK ENTRY FOR DETAILS. THIS ENGINE FOUND TO BE AIRWORTHY FOR RETURN TO SERVICE WARRANTED 100 HOURS CONDITIONALLY A&P NAME <u>J. H. Stouffer, Jr.</u> NO. <u>1266288</u>				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Engine removal disassembly cleaned magneto, fuel ports. Honed cylinders & checked for cracks. Replaced to seats. Reassembled engine using all new bearings, all new pistons, all new rings, all new exhaust valves second intake valves, all new seals and gaskets, checked starter, alt., carb. and repaired or replaced, replaced magneto harness. Reinstalled engine and found to be airworthy at this time: 2248:16 TACH. NOTE: Replaced oil pump & gear per A.O. <u>J. H. Stouffer, Jr.</u> A&P-1266288 OCT. 31, 1980		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
4/9/81	T.T. 2291 HRS.	100 HR. INSP.		
	CLEAN & GAP PLUGS			
	CHANGE OIL & OIL FILTER ELEMENT			PRTS 80W50X/C
	COMPRESSION TEST	#1 24 1.80	#2 24 1.80	#3 24 1.80
	CLEAN WASHCOAT			
				I certify that this aircraft has been inspected in accordance with a 100% inspection and found to be airworthy.
				Richard A. Merrill A/P 369640242 Richard A. Merrill
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
AUG. 1, 1981	Brought Forward →		T.R.	
CLEANED AND GAPPED SPARK PLUGS; CLEANED AIR FILTER, CLEANED X-ADULATOR AND SCREEN, INSPECTED EXHAUST SYSTEM, CHECKED MAGNETO TIMING AT 25° BT, COMPRESSION TEST # 1 75/100 # 2 72/100 # 3 72/100 # 4 75/100				
I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and found to be airworthy.				
I certify that this aircraft has been inspected in accordance with a <u>DISBURSAL</u> inspection and found to be airworthy.				
Richard A. Merrill A/P 36964024Z <i>Richard A. Merrill</i>				
C.F. Raymond A/P-75076 AL <i>C.F. Raymond</i>				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
10 10 93 Tack Reads 2344.09 95.93 HRS 7410 PERIOD TTS MON 95.93 HRS ENGINE SERVICES AND INSPECTED 1 Complete Engine Conditioning Procedure was accomplished 1 SERVICING INSPECTION SHEETS FOR 3600-6000 PRESSURE CHECK BY DIRECTORIAL METHOD #1 70/80 #2 70/80 #3 70/80 #4 70/80 Compression Check Port Cold - Check Mag Timing and Clean 4 GAPP PLUGS Change OIL & OIL FILTER - PRESSURE PROP - ENG G.D. Read Check OK ALN PRESSURE TEMP MAGNETO MAGNETS Wash -	<i>[Signature]</i>	
I certify that this <u>Engine</u> has been inspected in accordance with an <u>Annual</u> and has been found to be airworthy at this time.		
Tack Hrs: <u>95.93</u> Date <u>LOD 83</u>		
HAROLD C. ZIMMER AP1717940 IT		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
9-30-83	Brought Forward →		2376	Changed oil and
9/5/83			2379	INSTALLED NEW ALTERNATOR,
				REPLACED AIR FILTER,
Total To Wholesaler				
Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
	ENGINE—Drained oil, cleaned screens, checked & cleaned spark plugs, checked compression, checked fuel system, drained amms, checked starter and generator brushes checked mags and timed properly, checked prop. Functionally checked engine. Functionally checked engine.			
C/W SLICK AD NOTE 80-04-05- INSPECT EXHAUST COMPONENTS				
8 QTS 15W60W multi GRADE OIL + CHANGE SPIN ON FILTER				
Date <u>3/23/84</u> Total Aircraft Time <u>2782</u> I certify this				
ENGINE has been inspected in accordance with a ANNUAL				
inspection and was determined to be in airworthy condition.				
Signature: <u>BWS Brantley</u> C. R. S. 3046				
FOR				
G. B. DUPONT CO., INC.				
F.A.A. Approved Repair Station No. 3046				
DUPONT AIRPORT, LAPEER, MICHIGAN				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
9/17/84 T.T. 2392 hrs.		
OIL CHANGED - 8 QTS. ARROW SHILL 15W60		
REPLACED OIL FILTER CHANGE, ADJUSTED ECU		
SPEED, SURVIVED STARTS, REPLACED OIL SEAL, REWOUND		
DEER LATCH,		
	<u>BWS Brantley</u> #20901264E	
	FOR	
	G. B. DUPONT CO., INC.	
	F.A.A. Approved Repair Station No. 3046	
	DUPONT AIRPORT, LAPEER, MICHIGAN	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
4/3/85	Brought Forward	194.5	2442.5	
				ENGINE - Drained oil, checked compression, checked starter and generator brush, checked propeller and governor. Functionally checked engine.
75/80	74/80			8 QTS. 15W 50W AERO SHELL
74/80	73/80			CH 48110 FILTER AD 84-26-02 C/W 1984 AT 2352 hrs
Date 4/3/85 Total Aircraft Time 2442.5 I certify this ENGINE has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition.				
Signature <u>BUT BERRY</u> C. R. S. 3046				
G. B. DUPONT CO., INC.				
F.A.A. Approved Repair Station No. 3046				
DUPONT AIRPORT, LAPEER, MICHIGAN				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
TACH 2471		
7-25-85 INSTALLED FACTORY REBUILD 514K VTEC FOR ON LEFT SIDE + TIGARD TO ENGINE GROUND ON R.E. APPROPRIATE	<u>Phil Bunker</u>	
4-29-86 TACH: 2528.2 I CERTIFY THAT THIS ENGINE WAS INSPECTED IN A 100 HR. INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. DATED AT 3525 HRS IA		
75/80	74/80	
74/80	73/80	
4-29-86 8 QTS. - 15W 50W AERO SHELL		
CH 48110 FILTER		
CHECKED MAPS AND TIMED PROPERLY		
DRAINED OIL AND CHANGED FILTER, CLEANED		
SCAVENS, CHECKED, CLEANED AND LAPPED SPARK PLUGS		
CHECKED FUEL SYSTEM, DRAINED SUMP.		
<u>Phil Bunker</u> A.P. 15742.7468		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
8-20-86	Tach 2540.7			Installed Vector Rebuilt mag 4250R on Right side Test Run. Pilot for flight Jack D Brewer A.P. 17854776A
10-18-86	Tach 2562.87	8 Qt. 15W50 ACASHAW - CH 46110 Oil Filter	ACASHAW - CH 46110 Oil Filter	John D. Brewer Pilot (Pilot) 17854776A
Total To Carry Forward				

and Remarks	Signature	Certificate No.
5-1-87 Tach 2580 ⁰⁰ I Certify that this Eng has been Inspected in accordance with an Annual Insp. No found to be in Airworthy Condition at this time. Installed New Exhaust Lock H 3/4" Installed New Champs B1137137 Plug. Com 124 at 7/80 H 3 1/2 7/80 Jack D Brewer A.P. 17854776A		
1-28-87 Tach 2589.8 7 Qt. 15W50 ACASHAW - CH 46110 Oil Filter	John D. Brewer	
764.6		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
7-10-87	9614.6			Installer Man Exhaust Right Side changed out, Little Jacob D Brewer A.P. 178862224
10-15-87	CHANGE OIL	15W50 ARROWELL	TACK 2639.2	
Total To Carry Forward				

and Remarks	Signature	Certificate No.
10/28/87 TACK 2605.84 CHANGED OIL AND FILTER. SERVICED WITH 7 QTS. 15W50 ARROWELL. R/W EWG. AND CHECK FOR LEAKS. ✓OK.		
	CAV AIR INC. 200. 3973 FAA Approved Repair Station # 705-278 P.O. Lauderdale Executive Airport, Florida	
11-17-87 Tack 26320 changed oil, filter cleaner Vlux Corp Tack #175/80 #275/80 #375/80 #475/80	Jacob D Brewer A.P. 178862224	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
4/7/88	2702 T.T.			
	INSTALLED NEW VALVUM PUMP DRIVE SEAL (STD 208)			
	INSTALLED NEW AIRBORNE 211CC PUMP			
	Paul R Wilho			
	AWP324543805 AI			
Total To Carry forward				

and Remarks	Signature	Certificate No.
4/7/88 Jack J.M. W I Certify that the Eng has been Inspected In Accordance with AM 4M12 Ins and was found to be In Airworthy Condition at the time. Comp all by 7/88 changed Oil 13/502 shell, changed Filter, Installer Merv Brant Air Filter B-1- 104 Rm 9 T.C. SA 6996 4/63 540H	Jack D Breme	A.P.1784677 17

ENGINE LOG

Date	Maintenance
N44805 PA28-140 287525008 6-13-88 tach time..2744.45	

Changed oil and filter...
serviced with 15W50 Aeroshell

Chris B. O'Brien 47162536 AWP
Aircraft Services Inc Fargo ND

8-16-88 Tach 2776.88 changed oil, filter
serviced with 15W50 Aeroshell Jack P Brewer

5-2-89 Tach 2803.00 I certify that this engine
has been inspected in accordance with AM
Annual Inspections and was found to be in Airworthy
condition at this time. Comp oil 15/50, changed
oil, filter, cleaned, topped plugs. Run up and

Total To
Carry Forward

OK by the flight Jack P Brewer

and Remarks

Signature

Certificate No.

8-13-89 CHANGED OIL AND FILTER - AEROSHELL 15-50 TACH 2824.64

ISLAND AIRWAYS, BEAVER ISLAND, MI

10-28-89 CHANGED OIL & FILTER AEROSHELL 15W50 TACH 2849.68

John A. Johnson (owner)

11-12-89 CHANGED OIL & FILTER AEROSHELL 15W50 TACH 2876.23

John A. Johnson (owner)

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
①	Brought Forward →			
6-9-90	2887 TAC. ITAE / 639 SMON. ENG.			
	100 HR. INSPECTION (SEE INSPECTION SHEET			
	AIR PLANE LOG BOOK) Replace 4 spark plugs, change oil,			
	filter, air filter, Replace air hose (flex) at carb & air			
	filter, Replace Right rear stack exhaust gasket.			
	Remove cracked spinner and track plate assembly.			
	Replace oil lines - 2 oil cooler lines, oil pressure line,			
	all fuel lines (engine compartment), compression			
1-	75 ₈₀	2- 70 ₈₀	3- 70 ₈₀	4- 75 ₈₀
Total To Carry Forward				NEXT PAGE ②

and Remarks

Signature

Certificate No.

② This engine has been inspected in accordance with a 100 HR. inspection. Returned to service in satisfactory condition. AOS complied with them 5/9/90 (see report AOS list this page) Michael Slayton AFD 630546
END

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
		4-19-90	2887 TT	
		I CERTIFY THAT THIS AIRCRAFT/ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH THE ANNUAL INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.		
		<i>David Fortenbach</i>		
		AIP 1535584 I.A.		
2/1/90	2890.08 Tach.			
	REPAIRED SPINNER & INSTALLATION OF AIRCRAFT			
Total To Carry Forward				<i>Paul R. Wells AIP 388440645</i>

and Remarks	Signature	Certificate No.
7-31-90 / 2704 TAC		
Tighten alt. belt, clean battery leads at alt. + master selector Run up check ok electrical system Michael Klyte AIP 2430546		
END		
9-6-90 / 2912 TAC		
change oil amsoil 15.00 change oil filter Run up, check for leaks, ok Michael Klyte AIP 2430546		
END		

ENGINE LOG

Total To Carry Forward

and Remarks

Signature

Certificate No.


6/9/91 2916 TOTAL TIME, 6685 MONTH.

Repair cracks in heat muff, repair cracks in baffle, change oil & Filter with 8Q75 15W50 aeroshell, check compression, clean air & suction screens, clean & gap plugs, time map, drain fuel. I certify that this engine has been inspected in accordance with an annual inspection and found to be in a satisfactory condition.

Paul K. Webb
AP384573906AI


ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			73-72 76-79
6-20-92, 2950 TOTAL TIME, 702 SMOH.				
CHANGE OIL & FILTER, SERVICE WITH 8 QTS AEROSHELL 100W, CLEAN ALL SCREENS, CHECK COMPRESSION, CLEAN & GAP ALL PLUGS, TIME MAGS, CHECK MUFFLER, DRAIN FUEL, I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AIRWORTHY CONDITION.				
			Paul K. White AIP 3845Y 3806AT	
Total To Carry Forward				

and Remarks	Signature	Certificate No.
8/25/92 2969.62 CHANGED OIL & FILTER 15W/50 APPROX 8000 AND CHANGED 43110 FILTER - TEST RUN FOR LEAKS		10000
5: 7/94		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
7/5/93	2995 TOTAL TIME, 747 SMOH, CHANGE OIL SERVICE WITH 80TS AEROSHELL 15W50, CHANGE ^L FILTER & CLEAN SCREENS, INSTALL NEW AIR FILTER, CHECK COMPRESSION ALL +74/80, CLEAN & GAP PLUGS, TIME MAGS, DRAIN FUEL, REPAIR CARB HEAT SHROUD, INSPECT MUFFLER. DRESS PROP, I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AIR WORTHY CONDITION.			Paul R. Walker AWP38457206AE
Total To Carry Forward				

and Remarks	Signature	Certificate No.
5/7/94, 3020.7 TOTAL TIME CHANGE OIL & FILTER, SERVICE WITH 8QTS AEROSHELL 15W50, GROUND RUN	 Paul Rucke	APL 384545808AL

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
7/2/94	3040 TOTAL TIME, 792 SMOH.			
	REPAIR SPINNER BULKHEAD, CHANGE OIL & FILTER SERVICE WITH 8 QTS AEROSHELL 15W50, INSTALL NEW AIR FILTER, CHECK COMPRESSION ALL 4 CYLINDERS, TIME MAGS, CLEAN & GAP PLUGS, INSPECT MUFFLER. I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIRWORTHY CONDITION. Paul R. Weller			
	AIP 384543806A			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
3063.2 TOTAL TIME 8/5/94 CHANGE OIL & FILTER, INSTALL NEW OIL FILTER AND 8 QTS. AEROSHELL 15W50. Ground Run	John L. Johnson (owner-pilot)	
7/2/95 3084.85 TOTAL TIME, 836 SMOH CHANGE OIL & FILTER & SERVICE WITH 8 QTS AEROSHELL 100W, C.W. S.B. 518A THERMOSTATIC BYPASS VALVE, CHECK COMPRESSION #1-72, #2-72, #3-77, #4-70, CLEAN & GAP PLUGS, TIME MAGS, INSTALL NEW IGNITION LEADS #1 CYLINDER TIGHTEN MAG & #4 CYLINDER. RE-MAG, NEW AIR FILTER, INSPECT MUFFLER, DRAIN FUEL, I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIRWORTHY CONDITION. Paul R. Weller AIP 384543806A		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
9/23/75	3114.62	CHANGE OIL & FILTER, INSTALL NEW #43110 FORD F122A AND 8 QT AEROSHELL 15W50 GROSS RUN UP, CHECK AIR LEAKS	John P. Johnson (owner/pilot)	
7/2/96	3137	TOTAL TIME, 889.5 MOH		
COMPUED WITH AD 95-26-3, PARALAX by inspecting OIL COOLER HOSES, ALL FLAMABLE FLUID LINES WERE REMOVED & HAD NEW FIRE SLEEVE INSTALLED. CHANGED OIL & FILTER & CLEANED SCREEN, SERVICED WITH 8 QTS AEROSHELL 15W50, CHECKED COMPRESSION #1-75, #2-66, #3-72, #4-75, INSPECTED MUFFLER, CLEANED & GAP PLUGS, TIME MAGS, DRAIN FUEL,				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
INSTALL NEW BRACKETT BA-3 FILTER ELEMENT, REPAIR AIR BOX & CARB HEAT CABLE, TIGHTENED INTAKE HOSES & OIL DRAIN HOSES, INSTALL ^{USED} SHIMMY DAMPER ROD END, REPLACED BOTH STEERING ARM STOP BOLTS. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIR-WORTHY CONDITION.	Paul Anelke	ADP38454306AT
9/3/96 3167.6 CHANGE OIL & FILTER, INSTALL #43110 FORD F122A AND 8 QT AEROSHELL 15W50, GROSS RUN UP, CHECK AIR LEAKS	John P. Johnson, owner/pilot	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
5/20/77	Brought Forward →		3171.07	CHANGED OIL & FILTER, INITIAL READ 42110 FILTER AND 8 QT. ROYAL OIL Jed. J. [Signature] OWNER/PILOT
6-2-77			3192.6	R & R KAC, PUMP NEW FROM 366MA-TEX [Signature] AP 385364541
Total To Carry Forward				

and Remarks

Signature

Certificate No.

7/19/77 3203.74 TOTAL TIME, 955 SMOH
 CHANGED OIL & FILTER, CLEANED SCREENS, SERVICED WITH
 8 QT AEROSHELL 100W, CHECKED COMPRESSION #1-75/80
 #2-75/80, #3-77/80, #4-75/80, CLEANED & APPLIED TIME MAGS,
 DRAIN FUEL, REMOVE MUFFLER & REPLACE WITH OVERHAULED
 UNIT FROM AIRCRAFT EXHAUST SYSTEM (SEE YELLOW TAG),
 I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN
 ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND
 TO BE IN AN AIRWORTHY CONDITION

[Signature]
 AP 38451006AT

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
10/6/97	Brought Forward →		3229.54	CHANGED OIL & FILTER, INSTALLED FROM 48110 FILTER AND 8QT ARMO-SHELL 15W50
7/5/98	3258.8	TOTAL TIME, 1010 SMOH,		
	CHANGED OIL & FILTER, SERVICED WITH 8 QTS ARMO-SHELL 15W50, CLEANED SCREENS, CHECKED COMPRESSION #1-73/80, #2-75/80, #3-77/80, #4-72/80, TIME MASS, CLEAN & CAP PLUGS, INSPECT EXHAUST, DRAIN FUEL, CLEAN AIR FILTER, REPLACE SCAT CARBHEAT HOSE WITH 2'-#8 SCAT HOSE, REPAIR BAFFLE, I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION & WAS FOUND TO BE IN AN AIR-WORTHY CONDITION			
Total To Carry Forward				Paul K. Kelle AOP 384543806AF

and Remarks	Signature	Certificate No.
3223.20 12/1/98 CHANGED OIL & FILTER, INSTALLED FROM 48110 FILTER AND 8 QT. ARMO-SHELL 15W50	J. J. [Signature]	(over)
5/99 3325 TT, 1077 SMOH		
Serviced engine with 8 qts Armo-shell 15W50 & CH 48110 filter, examined screen and filter, checked compression: 1: 70/80, 2: 78/80, 3: 78/80, 4: 73/80, Time mass, clean/gay/test plugs, replace REM40 spark plug, inspect exhaust & intake including filter Assy, when fuel pump gasket P/N 462-049, See AD Compliance List. Test in and leak checked. I certify this engine has been inspected in accordance with a 100 hrs inspection as per the Piper Cherokee Service manual inspection report and was found to be in an Airworthy condition.		
	J. J. [Signature]	AP575728530

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
7/5/99	3325 TT	1077 SMCH		
I certify this engine has been inspected in accordance with an Annual inspection as per the Piper Cherokee Service Manual and was found to be in Airworthy Condition. Paul Rubel AOL 384573806AT				
7/16/99	3349.07	CHANGE OIL and FILTER, Increase from 40110 Fuel		
Total To Carry Forward		DND BQT AEROSPACE 15W50		

7-28-2000 TAC AND TOTAL AIC HRS. 3390.6 HRS. TSMO-1142-6

COMPLETED ANNUAL INSPECTION. CHANGED AIR FILTER. CHW:110

Oil FILTER 8 qts. 15 W-50 SHELL OIL CLEANER OIL SCREEN.

CLEANED, GAPPED AND TESTED SPARK PLUGS, REPLACED ON REM33BY

SPARK PLUG, CHECKED TIMING, INSTALLED BRACKET BA-3 AIR

FILTER TO BE REPLACED EACH 200 HRS. OR ONE YEAR, DUE AGAIN AT

3590.6 HRS. OR JULY-2001. INSPECTED HEAT SHIELD AND EXHAUST

SYSTEM. INSTALLED OVER HAWLEY CHRYSLER ALTERNATOR MODEL # 4111210

SN-9281 OVERHAULED BY TFW ELECTRICAL. YELLOW TAG IN AIRFRAME

LOG BOOK. REPLACED 3" AERODUCT FOAM FILTER TO AIR BOX.

AD 91-07-10: Oil Pump Seal Impeller Due

INSPECTION
AND DETERMINED TO BE IN AIR

1-75 0-22 3-20 11-20

AP 19296571A

6 AIR 6031
4 COUNTRY THAN IN-
AIRCRAFT HAS BEEN INSPECTED
IN ACCORDANCE WITH AN
ANNUAL INSPECTION
AND DETERMINED TO BE IN AIR
WORTHY CONDITION.

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward			
11/20/2000	3416.40	Changed oil and filter, Initial oil and 2 qts. 15W50		From 48110 Hrs (over)
8-3-2001	TAC AND TOTAL A/C HRS. - 3439.89 HRS			TSMD-1191.89 H
	COMPLETED ANNUAL INSPECTION, CHANGED OIL AND FILTER, CHW8110 FILTER,			
	7 qts. 15W50 SHELL OIL, CLEANED OIL SCREEN, CLEANED, GAPPED AND			
	TESTED SPARK PLUGS, 1-73, 2-75, 3-75, 4-71, TIMED BOTH			
	MAGNETOS TO 25°, INSTALLED NEW BA-3 BRACKETT AIR FILTER, TO			
	BE REPLACED EACH 200 HRS. OR 1 YEAR, DUE AGAIN AT 3639.89 HRS.			
	OR BY 8-2002, INSPECTED HEAT PLUFF AND EXHAUST. REPLACED ALL			
Total To Carry Forward		EXHAUST BASKETS PN-77611.		

CO - Tn - NEVER - OADR

and Remarks	Signature	Certificate No.
AD-00-18-53 OIL FILTER CONVERTER PLATE DISKET DNA- NOT INSTALLED CLW SB-518C By REPLACING OIL VERNATHERM VALVE WITH NEW PART # GL53E 19600, NO MORE REPEITIVE 100 HR. INSPECTIONS REQUIRED CLW AD 96-09-10 LYC. OIL PUMP BEARS, REMOVED OLD BEARS AND INSTALLED NEW OIL PUMP GEAR KIT PN- AEL18109S	CERTIFY THAT AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND DETERMINED TO BE IN AIR WORTHY CONDITION. William Danden Bay AtP 19276571A	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
10-22-01	346058		346058	SERVICED ENGINE WITH 7 OILS OF SUELL 5W50. REPLACED OIL FILTER P/N CH48140.
				<i>[Signature]</i> #346880239
Total To Carry Forward				

[illegible]

 The Standard
ENGINE LOG

ASA-GE-2

Log #2

Engine Record General Information

Manufacturer LYCOMING Model O-320-E3D

Serial L-39341-27A Type Certificate E-274

This engine is currently installed in aircraft: PA28-140

Minimum Octane Fuel _____ Oil Grade Summer _____ Winter _____

Magneto Time _____ Point Setting _____ Firing Order _____

Spark Plug Gap _____

Manufacturer's Recommended Overhaul at _____ hours

YEAR 2002 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
7-10	3495.1 1247.15 MDW	TOTAL TIME		CHANGED OIL & FILTER. SERVICED WITH 7 QTS SHELL 15W50 & CH48110 FILTER. CLEANED & TESTED ALL PLUGS. COMPRESSIONS ALL 72/80 OR GREATER. MAG. TIMING CHECKED. REPLACED INDUCTION AIR FILTER (BA-3) INSPECTED EXHAUST SYSTEM. RESEARCHED ENGINE AD'S THRU CURRENT DATE. NO APPLICABLE AD'S AT THIS TIME. (EXCEPT AD 98- D1-06, CARBURETOR VENTURI - INSPECTED VENTURI FOR TIGHTNESS. OK. DUE EA 100 HRS, NEXT DUE 3695.1.) RUN UP / LEAK CHECK. OK. REPLACED ALTERNATOR BELT.
				I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.
				Michael Almon AP367562160 IA

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
11-16-02	3518.13			CHANGED OIL & FILTER - CH 48110 FILTER AND 7 QTS ACASOIL 15W50. RUN UP - CIRCULAR FOR LEAKS John C. Johnson (owner)
2003				
8-1-03	3535.7 (1257.7 SMH)		3535.7	COMPLETED ANNUAL INSPECTION. CHANGED OIL & FILTER. SERVICED WITH 7 QTS SHELL 15W50 & CH48110 FILTER. CLEANED & TESTED ALL PLUGS. COMPRESSIONS. ALL 75/80 OR MORE. MAGNETO TIMING CHECKED. REPLACED INDUCTION AIR FILTER (BA-3). INSPECTED EXHAUST SYSTEM. CW AD 98-01-06 CARBURETOR VENTURI SECURITY - DUE EA 100 HRS NEXT DUE 3635.7. NO OTHER AD'S APPLY TO THIS ENG. RUN UP / OPERATIONAL CHECKS OK.
				I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.
				ALL APPLICABLE AD'S FOR THIS AIRCRAFT, (ENGINE) PROPELLER, AND APPLIANCES HAVE BEEN RESEARCHED AND COMPLIED WITH
				Mark - Williams AP372445155 IA

Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECLR465D

*annual inspection cost

Authorized Signature

1. Significant metal found in oil filter inspection

2. #1 cylinder cracked

3. #1 piston scuffed deemed unairworthy

4. cam rusted and worn beyond limits

For FAA CRS = ECLR465D

Inspected with Name, Rating and Certificate Number of Inspector. (See back pages for other specific entries.)

YEAR 21 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
SM 004 40017 217.47	3788.47		3788.47	100 hour inspection 1AW Lycorning O-320-670 service manual replaced oil cooler hoses to 1/2 AD 2017-14-04. checked compression cyl. 1: 80/77, cyl. 2: 80/78, cyl. 3: 80/78 cyl. 4: 80/77. All AD checked. I certify that that this engine has been inspected 1AW on 100 hour inspection and was found to be in an airworthy condition Maurice A. Tuszko A&P 12723371A

Maintenance Release

Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECLR444DDATE 4-30-05 HOBBS REG N44805
SN L-39341-27A SMOH 0 TT
MN O-320-E3D TACH 3571 STOH

O-320-E3D ASSEMBLY CHECKLIST


Reassemble engine according to the following overhaul manual and all pertinent
SIH and Service letters using the following new or overhauled and inspected parts,
all of which are of this date. Engine converted to 160 hp per
RANSTC # SE 8081 SW see 337 form this date

Part #	Description	#	Condition
app-1000s			
K4516-40	Rt Magneto	1	New
K4516-40	Lt Magneto	1	New
10-50000 per etc	Carb. s/w 81-20-10371	1	o/h
21100	Air pump s/w 77-48	1	o/h
LW15472	Fuel Pump 41271	1	New
4111810	Alternator installed 7-12-00 3390 etc	1	
SL742048	Starter	1	o/h
B526250	Oil cooler 720-1393	1	o/h
	Thrust hoses c/w # 4446518 (oil & fuel)	8	new

Internal Engine parts			
O-320-E3D	crankcase	1	o/h
	sump	1	
	accessory case	1	
O-320	Crank shaft s/w 5144573-1	1	o/h
	Connecting rods & caps	4	Imp.
	Crank shaft gear	1	Imp.
SL18840	Camschaft	1	New
SL1113-2213	Crank gear bolt	1	new
6-7742	Mag drive bearings	2	New
SL72472	Valve bodies	8	New
SL12186	rod nuts	8	New
SL78027	rod bolts	8	New
1870-1137-MC3	main bearings	8	New
AL169373-MC3	rod bearings	8	New
SL61744	spring oil pressure	1	New
SL69571-1	Carburettor major o/h (71540-1)	1	New
SL1028-B	oil pressure ball	1	New
SL78290	hydraulic units (plunger)	8	New
SL699603	Intake hoses	4	New
SL15175-2180	Drain hoses	4	New
LW11796	Idle shafts	2	New
SL3119-88	Idle Shaft Bolts	3	New
48110-1	Oil filter	1	New

Cylinder parts			
SL1444-1	governor pin & plug	4	New
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.
SL44-16	Rod & pin assembly (replugged)	4	Imp.

The following parts have been cleaned and magnified and dimensionally inspected, all 4 cylinder internal steel parts, proper oil pump gears installed at 8-013439 tach

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is disapproved for return to service. Pertinent details of the work are on file under Work Order No 5501, Dated 4-30-05
Authorized Signature: 

Maintenance Release

Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECLR444DDATE 4-30-05 HOBBS REG N44805
SN L-39341-27A SMOH 0 TT
MN O-320-E3D TACH 3571 STOH

*Remove engine and disassemble, clean, inspect and reassemble after upgrading to 160 hp per Rats conversion STC # SL89875W and installed under Rats STC # SA2706SW see 337 form this date

*Install using new lead mounts and liquid hoses

*Repair carb heat muff


*Service with 8 qts of aeroshell 100 mineral oil

*New bracket air filter installed

*tachometer remarked per STC instructions

*annual inspection c/w

*ground run and test down to leaks found

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is disapproved for return to service. Pertinent details of the work are on file under Work Order No 5501, Dated 4-30-05
Authorized Signature: 

YEAR

RECORDING

TACH

FLIGHT

TOTAL

TIME IN

SERVICE

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of

Technician or Repair Station, if done by a repair station.

YEAR

RECORDING

TACH

FLIGHT

TOTAL

TIME IN

SERVICE

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of

Technician or Repair Station, if done by a repair station.

YEAR

RECORDING

TACH

FLIGHT

TOTAL

TIME IN

SERVICE

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of

Technician or Repair Station, if done by a repair station.

YEAR

RECORDING

TACH

FLIGHT

TOTAL

TIME IN

SERVICE

Description of Inspections, Tests, Repairs and Alterations

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE: 8-19-05	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 10	TT: 3581
MIN: O-320-E3D	TACH: 3581	STOH:

Annual inspection due - cw annual inspection work
 *drain oil and change filter service with 8 qts of 100w oil
 *examine screen and filter no metal found
 *retorque all pertinent engine fasteners per engine overhaul manual
 *clean gap and test all plugs
 Ad #70-16-05 R1 (muffler) next due at 3681

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 5620, Dated 8-19-05

Authorized Signature: *[Signature]*

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 384543806 *[Signature]*

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE: 9-08-06	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 26	TT: 3597
MIN: O-320-E3D	TACH: 3597	STOH:

Annual inspection due - cw annual inspection work
 *drain oil and change filter service with 8 qts of 100w oil
 *examine screen and filter no metal found
 *replace air filter per STC
 *clean gap and test all plugs
 Ad #70-16-05 R1 (muffler) next due at 3681

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1078, Dated 9-08-06

Authorized Signature: *[Signature]*

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 384543806 *[Signature]*

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE: 8-03-07	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 42	TT: 3613
MIN: O-320-E3D	TACH: 3613	STOH:

Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil
 *clean gap and test all plugs
 *replace air filter element with new filter
 *replace throttle bracket bolt with new pin LW-25-2.25
 *inspect exhaust system
 *check mag timing

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1190, Dated 8-03-07

Authorized Signature: *[Signature]*

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Paul Welke IA 384543806 *[Signature]*

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI. 49782
FAA Certified Repair Station # ECLR465D

DATE: 9-17-08	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 66	TT: 3637
MIN: O-320-E3D	TACH: 3637	STOH:

Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil
 *clean gap and test all plugs
 *replace air filter element with new filter
 *inspect exhaust system
 *check mag timing

The aircraft airframe, engine, propeller or appliance above was repaired, overhauled, tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1841, Dated 9-17-08

Authorized Signature: *[Signature]*

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
 Neal Boyle IA358526112 *[Signature]*

Description of Inspections, Tests, Repairs and Alterations
 or Repair Facility. (See back pages for other specific entries.)

Description of Inspections, Tests, Repairs and Alterations
 or Repair Facility. (See back pages for other specific entries.)

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECLR465D

DATE: 9/24/08	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 66	TT: 3617
MN: C-120-E3D	TACH: 3617	STOH

*AD 2008-19-05 F&T cylinder inspection group A inspections applies to all four cylinders ew at annual next due in 50 hrs, all compressions above 70/90, no evidence of heat build-up per ECL 58 (8-1)
 Cyl pin A11 A11-2 111 Aphi A11 1 85090
 Ser #s 26484-19, -25, -30, 26230-30

The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 1841, Dated 9/24/08.
 Authorized Signature: 


YEAR	RECORDING	TODAY'S	TOTAL	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
DATE	TACH	FLIGHT	TIME IN	
	TIME		SERVICE	

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECLR465D

DATE: 10/08/09	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 84	TT: 3655
MN: C-120-E3D	TACH: 3655	STOH

- Annual inspection checklist ew
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil
 *clean gap and test all plugs
 *replace air filter element with new filter
 *compression test #1 73 #2 77 #3 78 #4 77 all /80
 *replace missing alternator pivot bolt, washer and nut
 *inspect exhaust system
 *check mag timing

The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 2088, Dated 10/08/09.
 Authorized Signature: 


I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in acceptable condition.
 Paul Welke IA 1750877 

YEAR	RECORDING	TODAY'S	TOTAL	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
DATE	TACH	FLIGHT	TIME IN	
	TIME		SERVICE	

Maintenance Release
Island Airways Inc. 36155 East Side Dr. Beaver Island MI 49782
FAA Certified Repair Station # ECLR465D

DATE: 5/01/2011	HOBBS	REG: N44805
SN: L-39341-27A	SMOH: 102	TT: 3673
MN: C-120-E3D	TACH: 3673	STOH

- Annual inspection checklist ew
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil
 *clean gap and test all plugs
 *replace air filter element with new filter
 *compression test #1 76 #2 77 #3 78 #4 76 all /80
 *replace missing alternator pivot bolt, washer and nut
 *inspect exhaust system
 *check mag timing
 *see AD listing for compliance info

The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 4005, Dated 5/01/2011.
 Authorized Signature: 

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in acceptable condition.
 Paul Welke IA 1750877 

Island Airways Maintenance Release
36155 East Side Dr. Beaver Island MI 49782
111 Airport Dr. Charlevoix MI 49720
FAA Certified Repair Station # 11112P-6673

DATE 6/7/12	HOBBBS	REG N44805
SN 1-29141-27A	SMOH 129	TT 3700
MIN 1-320-1 JD	TACH 3700	STOH

Annual inspection checklist cw
*drain oil and change filter
*inspect screen, no metal found
*service with 8 qts of aero shell 100w oil
*clean gap and test all plugs
*replace air filter element with new filter
*compression test #1 79 #2 77 #3 78 #4 74 all /80
*replace spinner with new composite spinner see STC SA01100AT sec 337 form this date
*inspect exhaust system
*check mag timing
*see AD listing for compliance info
The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 4110, Dated 6/7/2012
Authorized Signature *Paul Welke*

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
Paul Welke IA 1750877 *Paul Welke*

Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Island Airways
36155 East Side Dr. Beaver Island MI 49782
111 Airport Dr. Charlevoix MI 49720
FAA Certified Repair Station # ECLR465D

DATE 6/24/13	HOBBBS	REG N44805
SN 1-29141-27A	SMOH 129	TT 3700
MIN 1-320-1 JD	TACH 3700	STOH

Annual inspection checklist cw
*drain oil and change filter
*inspect screen, no metal found
*service with 8 qts of aero shell 100w oil
*clean gap and test all plugs
*replace air filter element with new filter
*compression test #1 80 #2 76 #3 79 #4 77 all /80
*inspect exhaust system
*check mag timing
*replace two cooler hoses LAW AD 95-26-13 next due in 6/2021
*see AD listing for compliance info
The aircraft airframe, engine, propeller or appliance above was repaired, X overhauled, X tested and inspected in accordance with current maintenance rules of the FAR's and is approved for return to service. Pertinent details of the work are on file under Work Order No. 4280, Dated 6/24/2013
Authorized Signature *Paul Welke*

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
Paul Welke IA 1750877 *Paul Welke*

Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Island Airways
36155 East Side Dr. Beaver Island MI 49782

DATE 6/24/13	HOBBBS	REG N44805
SN 1-29141-27A	SMOH 129	TT 3700
MIN 1-320-1 JD	TACH 3700	STOH

*annual inspection work cw
*Compression test #1 64 #2 78 #3 78 #4 67 all /80
*check mag timing, clean gap and test all plugs, replace one plug
*replace bracket filter per STC
*inspect intake & exhaust systems
Neal Boyle IA 1750877 ADP

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.
Paul Welke IA 1750877

WPAW AIRCRAFT LOG *(WPB)*

SN L-39341-27A	SMOH 144	TT 3715
MN O-320-E-1D	TACH 3715	STOH

Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil
 *clean gap and test all plugs
 *replace air filter element with new filter
 *compression test #1 74 #2 72 #3 72 #4 76 all /80
 *inspect exhaust system
 *check mag timing

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Paul Welke IA 1750807

Paul Welke

Island Airways

36155 East Side Dr. Beaver Island MI 49782

DATE 10/5/16	HOBBS	REG N44805
SN L-39341-27A	SMOH 153	TT 3724
MN O-320-E-1D	TACH 3724	STOH

Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil, 1 pt cam guard
 *clean gap and test all plugs
 *replace air filter element with new filter
 *compression test #1 79 #2 77 #3 77 #4 75 all /80
 *inspect exhaust system
 *check mag timing

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Paul Welke IA 1750807

Paul Welke

RECORDING
TACH
TIME
TODAY'S
FLIGHT
TOTAL
TIME IN
SERVICE
Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Island Airways

36155 East Side Dr. Beaver Island MI 49782

DATE 5/3/18	HOBBS	REG N44805
SN L-39341-27A	SMOH 144 158.3	TT 3730.3
MN O-320-E-1D	TACH 3730.3	STOH

Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil, 13 oz. cam guard
 *clean gap and test all plugs
 *replace air filter element with new filter
 *compression test #1 75 #2 76 #3 77 #4 77 all /80
 *inspect exhaust system
 *check mag timing

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Paul Welke IA 1750807

Paul Welke

Island Airways

36155 East Side Dr. Beaver Island MI 49782

DATE 6/5/19	HOBBS	REG N44805
SN L-39341-27A	SMOH 144 166	TT 3737
MN O-320-E-1D	TACH 3737	STOH

Annual inspection checklist cw
 *drain oil and change filter
 *inspect screen, no metal found
 *service with 8 qts of aero shell 100w oil, 13 oz. cam guard
 *clean gap and test all plugs
 *replace air filter elements with new filter
 *compression test #1 75 #2 75 #3 70 #4 72 all /80
 *inspect exhaust system
 *check mag timing

I certify that this engine has been inspected in accordance with an annual inspection checklist and found to be in airworthy condition.

Neal Boyle IA3406469

Neal Boyle

YEAR
DATE
RECORDING
TACH
TIME
TODAY'S
FLIGHT
TOTAL
TIME IN
SERVICE
Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

YEAR

DATE

Registration N44805
 Make Piper
 Model PA28-140



Sierra Mountain Aviation, Inc.
 13305 Nevada City Ave, Grass Valley, CA 95945
ENGINE

Date 04/15/2026
 Tach 4361.6
 Work Order 23886

Hours
 of
 res.)

Serviced with 7 quarts W100-Aeroshell oil
 Replaced oil filter with new P/N AJ48110-2
 Oil oil filter inspection good no contaminants found
 Inspected and reinstalled lower #1 sparkplug, no discrepancies noted
 Compression test #1 cylinder - #1 cylinder 75/80
 Returned aircraft for service

Signature *Andrea Brooke Falls*
 Andrea Brooke Falls A&P 4854204
 Sierra Mountain Aviation, Inc. 530 273 5273

YEAR
 DATE

RECORDING
 TACH
 TIME

TODAY'S
 FLIGHT

TOTAL
 TIME IN
 SERVICE

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)



February 2, 2005

Island Airways
111 Airport Dr.
Charlevoix, MI. 49720

Dear Sir:

This letter services as a one-time authorization per our installation center agreement to install a Lycoming Engine, S/N: L-39341-27A, Model (check one) 0-320-D2A, 0-320-D2B, 0-320-D2C, 0-320-D3G, or X 0-320-E3D, (modified in accordance with STC#SE 8987SW) on Piper Model PA-28-140, Serial No. 28-752008, Registration No. N44805.

Modification is to be done in accordance with RAM AIRCRAFT LIMITED PARTNERSHIP STC SA2706SW

Sincerely,

Tommy Derrick
Q.C. Inspector

Weight & Balance Change

Island Airways	Make	Piper
	Model	PA28-140
	S/N	21-7525008
	Reg. #	N44805
	W/O	4695

EQUIPMENT CHANGE - WEIGHT & BALANCE

Items: (Description / P/N / S/N)	Weight Pounds	Arm Inches	Moments Inch/Pounds
Previous Aircraft Empty Weight:	1406.5	86.62	121834.09
Loran C (Removal)	-3.8	61	-231.8
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
			0
Totals	1402.7		121602.29

A. Old Empty Weight	1406.5 Pounds
B. Old Empty CG	86.62 Inches
C. Old Empty Weight CG Moment	121,834.09 Inch/Pounds
D. Max Gross Weight	2150 Pounds
E. Old Useful Load	743.5 Pounds

A. New Empty Weight	1402.7 Pounds
B. New Empty CG	86.691588 Inches
C. New Empty Weight CG Moment	121602.29 Inch/Pounds
D. Max Gross Weight	2150 Pounds
E. New Useful Load	747.3 Pounds

This new weight & balance information superseads all previous weight and balance data.
For aircraft loading, see instructions in Weight & Balance Section of Aircraft Flight Manual.

FAA Form 337 Completed? ☒ Yes
Equipment List Amended? ☒ yes

Neal Boyle  10/5/2016 IA3406469

Authorized Signature Date Cert# Title

Notes: